

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
ALFA				
145				
DR-03	7,0 x 17	3-türig, 5-türig	TG	205/40-17 / 215/40-17 / 225/35-17
DR-03	7,0 x 17	3-türig, 5-türig	TG	205/40-17 / 225/35-17
146				
DR-03	7,0 x 17	3-türig, 5-türig	TG	205/40-17 / 215/40-17 / 225/35-17
DR-03	7,0 x 17	3-türig, 5-türig	TG	205/40-17 / 225/35-17
147				
DR-02	7,5 x 18	nicht GTA	FK**	
DR-02	8,0 x 18	nur GTA	FK**	
DR-02	8,0 x 18	nicht GTA	TG*	
155				
DR-03	7,0 x 17	Frontantrieb, ab Nachtrag 4 der F737/1	TG	205/40-17 / 215/40-17
DR-03	7,0 x 17		TG	215/40-17
156				
DR-02	7,5 x 18	nicht GTA	FK**	
DR-02	8,0 x 18	nur GTA	FK**	
DR-02	8,0 x 18	nicht GTA	TG*	
159				
DR-02	7,5 x 18	nicht: 3,2 V6, 2,4 jtd M, Brembo Bremse	FK**	
DR-02	8,0 x 18	nicht: 3,2 V6, 2,4 jtd M, Brembo Bremse	TG*	
DR-02	8,5 x 18	inkl.: 3,2 V6, 2,4 jtd M, Brembo Bremse	FK**	
DR-02	9,0 x 18	nur HA	FK**	
DR-02	8,5 x 20	nicht: 3,2 V6, 2,4 jtd M, Brembo Bremse	TG*	
DR-03	8,0 x 19	inkl. 3,2 V6 JTS, 2,4 jtd-m		
DR-04	8,5 x 20	inkl. 3,2 V6, 2,4 jtd-m, Brembo Bremse	TG*	225/35-20 (Serie nicht 18") / 245/30-20 (Serie nicht 16")
166				
DR-02	8,0 x 18	nicht: 3,0 V6, 3,2 V6, 2,4 JTD m-jet	FK**	
Brebra				
5/110				
DR-02	7,5 x 18	nicht: 3,2 V6, 2,4 jtd M, Brembo Bremse	X	
DR-02	8,0 x 18	nicht: 3,2 V6, 2,4 jtd M, Brembo Bremse	TG*	
DR-02	8,5 x 18	inkl.: 3,2 V6, 2,4 jtd M, Brembo Bremse	X	
DR-02	9,0 x 18	nur HA	X	
DR-02	8,5 x 20	nicht: 3,2 V6, 2,4 jtd M, Brembo Bremse	TG*	
DR-03	8,0 x 19	inkl. 3,2 V6 JTS, 2,4 jtd-m		
DR-04	8,5 x 20	inkl. 3,2 V6, 2,4 jtd M, Brembo Bremse	TG	225/35-20 (Serie nicht 18") / 245/30-20 (Serie nicht 16")
GT				
5/98				
DR-02	7,5 x 18	nicht 3,2	X	
DR-02	8,0 x 18	nur 3,2	FK**	
DR-02	8,0 x 18	nicht 3,2	TG*	
GTV / Spyder				
5/98				
DR-02	8,0 x 18		FK**	

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
AUDI				
100				
		C4		5/112
DR-02	8,0 x 19		TG	225/35-19 / 235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
200				
		C4		5/112
DR-02	8,0 x 19		TG	225/35-19 / 235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
A2				
DR-02	7,5 x 18		X	
A3				
		8L		5/100
DR-02	7,5 x 18		X	
DR-02	8,0 x 18		TG	225/40-18
DR-02	8,5 x 18		FK**	
DR-02	9,0 x 18	nur HA, inkl. S3	FK**	
DR-03	8,0 x 19			
A3 Cabriolet				
		8P		5/112
DR-02	8,0 x 19		TG	225/35-19 / 235/35-19
DR-03	8,0 x 19		TG	225/35-19
DR-03	8,0 x 19		TG	225/35-19 / 235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
A3 inkl. Sportback				
		8P/8PA		5/112
DR-02	7,5 x 18		X	
DR-02	8,0 x 18	nur 3,2 V6	TG	215/40-18 / 225/40-18 / 235/40-18 / 245/35-18 / Achslasten beachten
DR-02	8,0 x 18	nicht 3,2 V6	TG	215/40-18 / 225/40-18 / 235/40-18 / 245/35-18 / Achslasten beachten
DR-02	8,5 x 18	inkl. 3,2 V6	X	
DR-02	9,0 x 18	nur HA	F*	
DR-02	8,0 x 19		TG	215/35-19
DR-02	8,0 x 19		TG	225/35-19 / 235/35-19
DR-02	8,0 x 19		TG	225/35-19 / 235/35-19
DR-02	8,5 x 20	nicht 3,2 V6	TG	225/30-20 (max 1030kg) / 235/30-20 (,max. 1120kg)
A3 inkl. Sportback				
		8P/8PA		5/112
DR-03	9,0 x 19	nur HA		
DR-03	8,0 x 19		TG	225/35-19 / 235/35-19
DR-03	8,0 x 19		TG	225/35-19
DR-03	8,0 x 19		TG	235/35-19
DR-04	8,5 x 20			
DR-05	8,0 x 19		TG	215/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
A4				
		8E		5/112
DR-02	7,5 x 18	nicht 2,0 16V TSFL, 3,0 TDi	X	
DR-02	8,0 x 18	nicht S4 V8, 3,0 TDI 204cv	TG	225/40-18 / 235/40-18 / 245/40-18
DR-02	8,0 x 18		TG	225/40-18 / 235/40-18
DR-02	8,5 x 18	nicht RS4	X	
DR-02	9,0 x 18	nur HA	FK**	
DR-02	8,0 x 19		TG	225/35-19
DR-02	8,0 x 19		TG	235/35-19
DR-02	8,0 x 19		TG	225/35-19 / 235/35-19
DR-03	8,0 x 19		TG	235/35-19
DR-03	8,0 x 19	inkl. S4		
DR-03	9,0 x 19	nur HA		
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
A4, S4				
		8E		5/112
DR-02	8,0 x 19		TG	235/35-19
DR-03	8,0 x 19		TG	235/35-19
DR-05	8,0 x 19		TG	235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
A4				
		QB6		5/112
DR-02	8,0 x 19		TG	225/35-19 / 235/35-19
DR-02	8,0 x 19		TG	225/35-19 / 235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
DR-05	8,0 x 19		TG	235/35-19
DR-02	8,0 x 19		TG	235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
A4				
		B5		5/112
DR-02	7,5 x 18	nicht S4 2,7T (195KW)	X	
DR-02	8,0 x 18	nicht S4 2,7T (195kw), RS4	TG	225/40-18 / 245/35-18
DR-02	8,0 x 18		TG	225/40-18
DR-02	8,5 x 18	nicht S4 2,7 (195kw), RS4	X	
DR-02	9,0 x 18	nur HA	FK**	
DR-02	8,0 x 19		TG	225/35-19
DR-02	8,0 x 19		TG	235/35-19
DR-02	8,5 x 20	nicht 3,2 V6	TG*	225/30-20 / 235/30-20
DR-03	8,0 x 19	inkl. S4		
DR-03	9,0 x 19	nur HA		
DR-05	8,0 x 19		TG	225/35-19
DR-05	8,0 x 19		TG	235/35-19

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
A4		B8	5/112	
DR-02	8,0 x 18		TG	225/45-18 / 235/40-18 / 235/45-18 / 245/40-18
DR-02	8,0 x 18		TG	225/45-18 / 235/40-18 / 235/45-18 / 245/40-18
DR-02	8,0 x 18	Limounise + Kombi (Frontantrieb)	TG	225/45-18 / 235/40-18 / 235/45-18 / 245/40-18
DR-02	8,0 x 18	Limounise + Kombi (Frontantrieb)	TG*	Verwendung mit Audi A5 zusammen
DR-02	8,0 x 18	Limounise + Kombi (Frontantrieb)	TG	225/45-18 / 235/40-18 / 235/45-18 / 245/40-18
DR-02	9,0 x 20	Limousine (Frontantrieb)	TG	245/30-20 / 255/30-20
DR-04	8,5 x 20			
DR-04	8,5 x 20			
DR-04	9,0 x 20		TG	245/30-20
DR-04	9,0 x 20		TG	245/30-20 / 255/30-20
DR-04	10,0 x 20			
S4		B8	5/112	
DR-02	9,0 x 20		TG	245/30-20 / 255/30-20 / 265/30-20
A4 Quattro		B8	5/112	
DR-02	8,0 x 18	Limounise + Kombi (Allradantrieb)	TG	225/45-18 / 235/40-18 / 235/45-18 / 245/40-18
DR-02	9,0 x 20	Limousine (Frontantrieb)	TG	245/30-20 / 255/30-20
A4 Cabriolet		8H	5/112	
DR-02	8,0 x 18		TG	225/40-18 / 235/40-18
DR-02	8,0 x 18		TG	225/40-18 / 235/40-18
DR-02	8,0 x 19		TG	225/35-19
DR-02	8,0 x 19		TG	235/35-19
DR-02	8,0 x 19		TG	225/35-19 / 235/35-19
DR-05	8,0 x 19		TG	225/35-19
DR-05	8,0 x 19		TG	235/35-19
DR-05	8,0 x 19		TG	235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
DR-02	8,0 x 19		TG	235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19
A5		B8	5/112	
DR-02	8,0 x 18		TG	225/45-18
DR-02	9,0 x 20		TG	245/30-20 / 255/30-20 / 265/30-20
DR-03	8,0 x 19			
DR-03	9,0 x 19			
DR-04	8,5 x 20			
DR-04	9,0 x 20		TG	245/30-20 / 255/30-20 / 265/30-20
DR-04	10,0 x 20			
S5		B8	5/112	
DR-02	8,0 x 18		TG	225/45-18
DR-04	9,0 x 20		TG	245/30-20 / 255/30-20 / 265/30-20
A6, S6		4B	5/112	
DR-02	8,0 x 19		TG	245/35-19
A6		4B	5/112	
DR-02	7,5 x 18	nur 1,8T, 2,4, 2,5 TDI 150cv, 1,9 TDI	X	
DR-02	8,0 x 18	nicht RS6, S6, 4,2 V8	TG	235/40-18
DR-02	8,0 x 18	nicht RS6, S6, 4,2 V8	TG	225/40-18 / 235/40-18
DR-02	8,5 x 18	nicht RS6	X	
DR-02	9,0 x 18	nur HA	FK**	
DR-03	8,0 x 19	inkl. S6, RS6		
DR-03	9,0 x 19	nur HA		
DR-02	8,0 x 19		TG	225/35-19
DR-05	8,0 x 19		TG	225/35-19
A6		4B	5/112	
DR-02	8,0 x 19		TG	235/35-19 / 245/35-19
DR-05	8,0 x 19		TG	235/35-19 / 245/35-19
A6 / S6		4B	5/112	
DR-05	8,0 x 19		TG	245/35-19
A6		5/112	5/112	
DR-02	7,5 x 18	nicht S6 5,0 V10	X	
DR-02	8,0 x 18	nicht 2,7 V6 24v TDI, S6 5,0 V10	TG	
DR-02	8,5 x 18	nicht S6 5,0 V10	X	
DR-02	9,0 x 18	nicht S6 5,0 V10	FK**	
DR-02	9,0 x 20	nicht S6 5,0 V10	TG*	
DR-02	9,0 x 20	inkl. S6 5,0 V10	TG*	
DR-02	10,0 x 20	nur HA	TG*	
DR-03	8,0 x 19	nicht S6 5,0 V10		
DR-03	8,0 x 19	inkl. S6		
DR-03	9,0 x 19	inkl. S6 5,0 V10		
DR-04	8,5 x 20	inkl. S6 V10		
DR-04	9,0 x 20	inkl. S6 V10		
A6		C4	5/112	
DR-02	8,0 x 19		TG	225/35-19 / 235/35-19
DR-05	8,0 x 19		TG	225/35-19 / 235/35-19

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
A6				
		4F		5/112
DR-02	8,0 x 18		TG	235/40-18 / 245/40-20
DR-02	8,0 x 18		TG	235/40-18 / 245/40-20 / 245/45-20 / 255/45-20
DR-02	8,0 x 19		TG	245/35-19
DR-02	8,5 x 20		TG	245/30-20 (max. Achslast 1200kg)
DR-02	9,0 x 20		TG*	
DR-02	9,0 x 20	Lim./Avant / Front- und Allradantrieb - Achslasten beachten	TG	245/30-20 / 255/30-20
DR-02	8,0 x 19		TG	225/45-19 / 235/40-19 / 245/40-19
DR-02	9,0 x 20	nur Allroad Quattro	TG	245/30-20 / 255/30-20
DR-02	9,0 x 20	nur Audi S6 Allradantrieb Limousine und Kombi	TG	245/30-20 / 255/30-20
DR-03	8,0 x 19		TG	235/35-20
DR-03	8,0 x 19		TG	245/35-20
DR-04	8,5 x 20		TG	255/30R20
DR-04	9,0 x 20		TG	255/30-20
DR-02	8,0 x 19		TG	245/35-19
DR-04	9,0 x 20		TG	265/30-20
DR-05	8,0 x 19		TG	245/35-19
DR-05	8,0 x 19		TG	245/35-19
A6 Allroad				
		4F		5/112
DR-04	8,5 x 20		TG	245/35R20 / 255/35R20
DR-04	9,0 x 20		TG	245/35-20 / 255/35-20 / 265/30-20
DR-05	8,0 x 19		TG	225/45-19 / 235/40-19 / 245/40-19
A6 S6				
		4F		5/112
DR-04	9,0 x 20		TG	275/30-20
RS6				
				5/112
DR-03	9,0 x 19			
A8				
		4E		5/112
DR-02	8,0 x 18	nicht 4,2 V8, 4,0 TDI, W12, S8	TG	235/50-18 / 245/45-18
DR-02	8,0 x 18	nicht 4,2 V8, 4,0 TDI, W12, S8	TG	235/50-18 / 245/45-18
DR-02	8,5 x 18	nicht W12	FK**	
DR-02	9,0 x 18	nur HA	FK**	
DR-02	8,0 x 19		TG	235/45-19 / 245/40-19 / 245/45-19 / 255/40-19
DR-02	8,0 x 19		TG	235/45-19 / 245/40-19
DR-02	8,0 x 19		TG	235/45-19 / 245/40-19 / 245/45-19 / 255/40-19
DR-02	9,0 x 20		TG	245/35-20 (155-246KW); 255/35-20 / 275/35-20 (155-331KW)
DR-02	10,0 x 20	nur HA	TG*	
DR-03	8,0 x 19			
DR-03	8,0 x 19	inkl. 6,0 W12, SB		
DR-03	9,0 x 19			
DR-04	8,5 x 20		TG	245/35R20 / 245/40R20
DR-04	8,5 x 20		TG	245/35R20 / 245/40R20 / 255/35R20
DR-04	9,0 x 20		TG	245/35-20 / 245/40-20
DR-04	9,0 x 20		TG	255/35-20 / 265/35-20 / 275/35-20
DR-04	10,0 x 20	nur HA		
DR-05	8,0 x 19		TG	235/45-19 / 245/40-19 / 245/45-19 / 255/40-19
DR-05	8,0 x 19		TG	235/45-19 / 245/40-19
DR-05	8,0 x 19		TG	235/45-19 / 245/40-19 / 245/45-19 / 255/40-19
A8				
		D2		5/112
DR-02	8,0 x 18	nicht W12, 3,3 TDI	TG	245/45-18 / 255/45-18
DR-02	8,5 x 18	nicht W12	X	
DR-02	9,0 x 18	nur HA	FK**	
DR-02	8,0 x 19		TG	245/40-19 / 255/40-19
DR-02	9,0 x 20		TG*	
DR-02	10,0 x 20	nur HA	TG*	
DR-03	8,0 x 19	inkl. 6,0 w12, SB		
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20		TG	255/35-20
DR-04	9,0 x 20		TG	255/35-20
DR-05	8,0 x 19		TG	245/40-19 / 255/40-19
DR-05	8,0 x 19		TG	245/40-19
RS4				
				5/112
DR-02	8,5 x 20		FK**	
DR-04	9,0 x 20			
TT				
				5/100
DR-02	7,5 x 18		X	
DR-02	8,0 x 18	nicht 3,2	TG**	
DR-02	9,0 x 18	nur HA	FK**	
DR-03	8,0 x 19	inkl. 3,2 V6		

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
TT		8J	5/112
DR-02	8,0 x 18		TG 235/40-18 / 245/40-18
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18 / 245/40-18
DR-02	8,0 x 18		TG 235/40-18 / 245/40-18
DR-02	8,0 x 19		TG 225/35-19 / 225/40-19 / 235/35-19 / 245/35-19
DR-02	8,0 x 19		TG 235/35-19 / 245/35-19
DR-02	8,5 x 20		TG 245/30-20
DR-02	9,0 x 20		TG
DR-02	9,0 x 20		TG 245/30-20 / 255/30-20
DR-03	8,0 x 19		TG 235/35-19 / 245/35-19
DR-03	9,0 x 19		
DR-04	8,5 x 20		
DR-04	8,5 x 20		TG 235/30-20 (bis 147KW) / 245/30-20 / 255/30-20
DR-04	9,0 x 20		TG 245/30-20 / 255/30-20
DR-05	8,0 x 19		TG 225/35-19 / 225/40-19 / 235/35-19 / 245/35-19
DR-05	8,0 x 19		TG 235/35-19 / 245/35-19
Q5		8R	5/112
DR-02	8,0 x 18		TG*
DR-02	9,0 x 20		TG 245/45-20
DR-02	9,0 x 20		TG*
DR-02	9,5 x 22		TG 265/35-22
DR-04	8,5 x 20		TG*
DR-04	9,0 x 20		TG*
DR-04	9,0 x 20		TG*
Q7		4L	5/130
DR-02	9,0 x 20		TG*
DR-02	10,0 x 20		TG 265/45-20 / 275/40-20 / 275/45-20
DR-02	9,5 x 22		TG 265/35-22 / 285/30-22 / 285/35-22
DR-02	11,0 x 23		TG 315/25-23
DR-03	9,0 x 19	inkl. 6,0 W12	
DR-04	9,0 x 20		
DR-04	10,0 x 20		
Allroad			5/112
DR-03	8,0 x 19		
DR-03	9,0 x 19		
DR-04	8,5 x 20		
DR-04	9,0 x 20		

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
BMW				
M3 E36				
				5/120
DR-02	7,5 x 18		X	
DR-02	8,0 x 18		X	
DR-02	9,0 x 18	nur HA	X	
M3 E46				
				5/120
DR-02	8,0 x 18	nur VA	X	
DR-02	9,0 x 18	nur HA	X	
DR-03	8,0 x 19	nur VA		
DR-03	9,0 x 19	nur HA		
M3 E92				
				5/120
DR-04	10,0 x 20			
DR-04	8,5 x 20			
M5 E60				
				5/120
DR-02	8,5 x 20	nur VA	TG*	
DR-02	10,0 x 20	nur HA	TG*	
DR-03	8,0 x 19	nur VA		
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20	nur VA		
DR-04	10,0 x 20	nur HA		
M6 E63				
				5/120
DR-02	8,5 x 20	nur VA	TG*	
DR-02	10,0 x 20	nur HA	TG*	
DR-03	8,0 x 19	nur VA		
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20	nur VA		
DR-04	10,0 x 20	nur HA		
serie 1 E87				
				187
				5/120
DR-02	7,5 x 18		TG	205/45-18 - 215/40-18 - 225/40-18
DR-02	8,0 x 18		X	
DR-02	8,5 x 20	body outstanding	TG	225/30-20 (85-125KW) / 235/30-20 (235/30-20)
DR-03	8,0 x 19			
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20			
serie 3 E36				
				3/B/C/CG
				5/120
DR-02	7,5 x 18		TG	215/40-18 - 225/35-18 - 225/40-18
DR-02	8,0 x 18		X	
DR-02	9,0 x 18	nur HA	X	
DR-03	8,0 x 19			
DR-03	9,0 x 19	nur HA		
serie 3 E46				
				346L/R/C/K/X
				5/120
DR-02	7,5 x 18		TG	225/40-18 + 215/40-18 / 225/35-18 (Auflagen)
DR-02	8,0 x 18		X	
DR-02	9,0 x 18	nur HA	X	
DR-03	8,0 x 19			
DR-03	9,0 x 19			

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
serie 3 E90		390L/X/392C	5/120	
DR-02	7,5 x 18		TG	225/40-18
DR-02	8,0 x 18		X	
DR-02	9,0 x 18	nur HA	X	
DR-02	8,5 x 20	alt. in Verbindung mit HA 10x20 ET24	TG	235/30-20 (VA/HA), alt. HA 285/25-20
DR-02	9,0 x 20	nur HA	X	
DR-02	10,0 x 20	nur HA	TG	VA 8,5x20 ET35 235/30-20 / HA 10,0x20 ET16 285/25-20
serie 3 E90			5/120	
DR-03	8,0 x 19			
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20			
DR-04	9,0 x 20			
serie 5 E39			5/120	
DR-02	8,0 x 18		X	
DR-02	8,5 x 20	nur VA	X	
serie 5 E60 E61			5/120	
DR-02	8,0 x 18		X	
DR-02	8,5 x 18		X	
DR-02	9,0 x 18	nur HA	X	
DR-02	8,5 x 20	nur VA	TG	245/30-20 (110-190KW) / 255/30-20
DR-02	10,0 x 20	nur HA (bei E61 Adapter-Kit 12.430 verwenden)	TG	VA245/30-20 / 255/30-20 / HA 285/25-20/295/25-20
DR-03	8,0 x 19	nur VA		
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20	nur VA		
DR-04	10,0 x 20	nur HA		
serie 5 E60 E61 4x4			5/120	
DR-02	8,0 x 18		X	
DR-02	9,0 x 18	nur HA	X	
DR-03	8,0 x 19			
DR-03	9,0 x 19	nur HA		
serie 5 E60 4x4		560X, nur Lim.	5/120	
DR-02	8,5 x 20		TG	245/30-20 / 255/30-20
serie 6 E63 E64		663C	5/120	
DR-02	8,5 x 20	nur VA	TG	245/35-20
DR-02	10,0 x 20	nur HA	TG*	
DR-04	10,0 x 20	nur HA		
DR-04	8,5 x 20	nur VA		
serie 7 E32			5/120	
DR-02	8,0 x 18		X	
DR-02	8,5 x 18		X	
serie 7 E38			5/120	
DR-02	8,0 x 18		X	
DR-02	8,5 x 18		X	
DR-02	9,0 x 18	nur HA	X	
DR-02	8,5 x 20	nur VA	TG	255/35-20
DR-03	8,0 x 19	nur VA		
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20			
DR-04	10,0 x 20	nur HA		
serie 7 E65 E66			5/120	
DR-02	8,5 x 18	nicht 760 Li	X	
DR-02	9,0 x 18	nicht 760 Li, nur HA	X	
DR-02	8,5 x 20	nur VA	TG	245/40-20 / 255/35-20
DR-02	10,0 x 20	nur HA	TG	VA245/40-20 HA275/35-20 / VA255/35-20 HA285/30-20
DR-03	8,0 x 19	nur VA		
DR-03	9,0 x 19			
DR-04	8,5 x 20	nur VA		
DR-04	10,0 x 20	nur HA		
serie 8 E31			5/120	
DR-02	8,0 x 18		X	
DR-03	8,0 x 19	nur VA		
DR-03	9,0 x 19	nur HA		
X3		X83	5/120	
DR-02	7,5 x 18		TG	235/50-18 / 245/45-18; Über 170KW nur als M+S
DR-02	8,0 x 18		X	
DR-02	8,5 x 18		TG*	
DR-02	9,0 x 18	nur HA	X	
DR-02	8,5 x 20		TG	245/35-20 / 255/35-20
DR-02	9,0 x 20		TG	245/35-20 / 255/35-20 / 275/30-20
DR-02	9,0 x 20		X	
DR-03	8,0 x 19			
DR-03	9,0 x 19			
DR-04	8,5 x 20			
DR-04	9,0 x 20			

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
X5		X53	5/120
DR-02	8,5 x 18	nicht 4,6is, 4,8is	TG*
DR-02	9,0 x 20		TG 265/45-20 / 275/40-20
DR-02	9,0 x 20	nur VA	X
DR-02	10,0 x 20	nur HA	TG*
DR-02	9,5 x 22		TG 265/35-22 / 285/30-22 (255-265KW nur als M+S)
DR-03	9,0 x 19		
DR-04	8,5 x 20	nur VA	
DR-04	9,0 x 20	nur VA	
DR-04	10,0 x 20	nur HA	
X5		X70	5/120
DR-02	9,0 x 20	ohne Kotflügelverbreiterung, nicht für Bremsscheibe	TG 255/45-20 / 265/45-20 / 275/40-20
DR-02	9,0 x 20	mit Kotflügelverbreiterung, nicht für Bremsscheibe	TG 255/45-20 / 265/45-20 / 275/40-20
DR-02	9,5 x 22	nicht Fahrzeuge mit 3 Sitzreihen, Achslasten beachten	TG 265/35-22 / 275/30-22 / 285/30-22
DR-02	11,0 x 23		TG 315/25-23
DR-03	9,0 x 19		
DR-04	8,5 x 20	nur VA	
DR-04	9,0 x 20	nur VA	
DR-04	10,0 x 20	nur HA	
X6		X70	5/120
DR-02	11,0 x 23	DS an VA + HA erforderlich	TG 315/25-23
Z3		R/C	5/120
DR-02	7,5 x 18		TG 225/40-18 (215/40-18 / 225/35-18 Auflagen)
DR-02	8,0 x 18		X
DR-02	9,0 x 18	nur HA	X
DR-03	8,0 x 19		
DR-03	9,0 x 19	nur HA	
M-Roadster / M-Coupe		M85	
DR-02	7,5 x 18		TG 225/40-18
Z4		Z85	5/120
DR-02	7,5 x 18	nicht M	TG 225/40-18; ab 141KW nur als M+S
DR-02	8,0 x 18	nicht M	X
DR-02	9,0 x 18	nur HA, nicht M	X
DR-03	8,0 x 19		
DR-03	9,0 x 19	nur HA	
Z4 M			5/120
DR-03	8,0 x 19	nur VA	
DR-03	9,0 x 19	nur HA	

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
--------	-------	---------	---------------------------

CHEVROLET

Captiva	KLAC	5/115
DR-02	8,0 x 18	TG* 235/55-18 / 255/45-18
DR-02	8,5 x 20	TG 245/40-20 / 255/35-20
DR-04	8,5 x 20	TG 245/40-20

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
CHRYSLER				
300C (AWD)				
5/115				
DR-02	8,5 x 18		FK*	
DR-02	9,0 x 20		FK*	
DR-03	8,0 x 19			
DR-03	9,0 x 19			
DR-04	9,0 x 20			
300C (RWD)				
5/115				
DR-02	8,5 x 18			
DR-02	9,0 x 20		TG	245/40-20; alt. HA 275/35-20
DR-02	9,5 x 22		TG	255/30-22
DR-03	8,0 x 19			
DR-03	9,0 x 19			
DR-04	9,0 x 20		TG	245/40-20 / 245/45-20 / VA245/45 HA255/45-20 / VA245/40 HA275/35-20
300C SRT-8				
5/115				
DR-02	9,0 x 20		TG	245/45-20 / 255/45-20, alt. VA 245/45-20 / HA 255/45-20
DR-02	9,5 x 22		TG	265/30-22
DR-04	9,0 x 20		TG	245/45-20 alt. HA 255/45-20
300M				
LR				
5/114,3				
DR-02	7,5 x 18		X	
DR-02	8,0 x 18		TG	235/50-18 / 245/40-18 / 245/45-28 / 255/45-18
DR-02	8,5 x 18		X	
DR-02	9,0 x 20		TG	245/35-20
Crossfire				
5/112				
DR-02	8,0 x 18		TG	225/40-18
DR-03	8,0 x 19			
Neon				
5/100				
DR-02	7,5 x 18		X	
DR-02	8,0 x 18		FK	
PT Cruiser				
PT				
5/100				
DR-02	7,5 x 18		X	
DR-02	8,0 x 18	nur Fahrzeuge mit Schaltgetriebe	TG	215/40-18 / 225/40-18 / VA225/40-18-HA235/40-18 (Auflagen)
DR-02	8,5 x 18	inkl. 2,4 turbo	X	
DR-02	9,0 x 18	nur HA	FK*	
DR-03	8,0 x 19			
Sebring				
JR				
5/100				
DR-02	7,5 x 18		X	
DR-02	8,0 x 18		TG	225/40-18
DR-02	9,0 x 18	nur HA	X	
DR-03	8,0 x 19			
Sebring				
JS				
5/114,3				
DR-02	8,0 x 18		TG	215/50-18 / 215/55-18 / 225/50-18 / 245/45-18
DR-02	8,0 x 19		TG	225/45-19 / 235/40-19 / 235/45-19 / 245/40-19
DR-02	8,5 x 20		TG	245/35-20
DR-03	8,0 x 19		TG	225/45-19 / 245/40-19
DR-04	8,5 x 20		TG	245/35-20
Stratus				
5/100				
DR-02	7,5 x 18		FK**	
DR-02	8,0 x 18		TG**	
Vision, New Yorker				
5/114,3				
DR-02	8,0 x 18		FK	
Voyager				
5/114,3				
DR-02	7,5 x 18		X	
DR-02	8,0 x 18		TG	235/50-18 / 245/45-18
DR-02	8,5 x 18		X	
Voyager				
5/114,3				
DR-02	7,5 x 18		X	
DR-02	8,0 x 18		TG	235/50-18 / 245/45-18
DR-02	8,5 x 18		X	
DR-04	8,5 x 20		TG	245/40-20 / 255/35-20

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
CITROEN			
C8			5/98
DR-02	8,0 x 18	nicht V6	FK*
C-Crosser		V	5/114,3
DR-02	8,0 x 17		TG 235/60-17 / 235/55-17
DR-02	8,0 x 18		TG 225/55-18 / 235/50-18 / 255/45-18
DR-02	8,0 x 18		TG 225/55-18 / 235/50-18 / 235/55-18 / 245/40-18 / 255/50-18
DR-02	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/45-19
DR-02	8,5 x 20		TG 245/40-20 / 255/35-20
DR-02	9,0 x 20		TG 245/40-20 / 255/35-20 / 265/35-20
DR-04	8,5 x 20		TG 245/40-20 / 255/35-20

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
DACIA				
Logan		SD		4/100
DR-03	7,0 x 17		TG	205/45-17 / 215/40-17 / 215/45-17
Sandero		SD		4/100
DR-03	7,0 x 17		TG	205/45-17 / 215/40-17 / 215/45-17

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
DAEWOO				
Leganza				5/114,3
DR-02	8,0 x 18		FK	
Espero		KLEJ		4/100
DR-03	7,0 x 17	nur ABV	TG	205/40-17
Nubira		KLAJ		4/100
DR-03	7,0 x 17	Kombi / Stufenheck 4-türig	TG	205/40-17 / 215/40-17
Kalos		KLAS		4/100
DR-03	7,0 x 17		TG	195/40-17 / 215/35-17
Kalos		KLAS		4/100
DR-03	7,0 x 17		TG	195/40-17 / 205/40-17
Aveo		KLAS		4/100
DR-03	7,0 x 17	Variante SN	TG	195/40-17 / 215/35-17
Aveo		KLAS		4/100
DR-03	7,0 x 17	Variante SH	TG	195/40-17 / 205/40-17

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
DAIHATSU				
Charade		G200 / G2		4/100
DR-03	7,0 x 17		TG	205/40-17
Materia		M4		4/100
DR-03	7,0 x 17	Frontantrieb	TG	195/40-17 / 215/35-17
Sirion		M3		4/100
DR-03	7,0 x 17	Frontantrieb	TG	195/40-17
Justy		M3		4/100
DR-03	7,0 x 17	Frontantrieb	TG	195/40-17

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
DODGE			
Avenger		JS	5/114,3
DR-02	8,0 x 18		TG 215/50-18 / 215/55-18 / 225/50-18 / 245/45-18
DR-02	8,0 x 19		TG 225/45-19 / 235/40-19 / 235/45-19 / 245/40-19
DR-02	8,5 x 20		TG 245/35-20
DR-03	8,0 x 19		TG 225/45-19 / 245/40-19
DR-04	8,5 X 20		TG 245/35-20
Caliber		PK	5/114,3
DR-02	8,0 x 18		TG 215/55-18 / 245/45-18
DR-02	8,0 x 19		TG 225/45-19 / 235/40-19 / 245/40-19
DR-02	8,5 x 20		TG 245/35-20
DR-03	8,0 x 19		TG 235/40-19 / 235/45-19 / 245/40-19
DR-04	8,5 x 20		TG 245/35-20
Journey		JC	5/127
DR-04	8,5 x 20		TG 245/35-20 / 245/40-20 / 255/35-20
DR-04	9,0 x 20		TG 245/35-20 / 245/40-20
Nitro		KJ	5/114,3
DR-02	8,0 x 17		TG 235/65-17 / 245/60-17
DR-02	8,0 x 18		TG 235/60-18 / 245/55-18 / 255/55-18
DR-02	8,5 x 20		TG 245/45-20 / 255/45-20 / 265/45-20
DR-02	9,0 x 20		TG 245/45-20 / 255/45-20 / 265/45-20 / 275/40-20
DR-02	9,5 x 22		TG 265/35-22
DR-04	8,5 x 20		TG 245/45-20 / 255/45-20 / 265/45-20
Magnum (AWD)			5/115
DR-03	8,0 x 19		
DR-03	8,0 x 19		
DR-03	9,0 x 19		
DR-03	9,0 x 19		

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
FIAT				
500		312		4/100
DR-03	7,0 x 17	2-türig Frontantrieb	TG	195/40-17
500 Abarth		312		4/100
DR-03	7,0 x 17	2-türig Frontantrieb	TG	195/40-17
Bravo		182		4/100
DR-03	7,0 x 17		TG	205/40-17 / 215/40-17
DR-03	7,0 x 17	nur Fiat Bravo 2,0HGT	TG	215/40-17
Bravo		198		4/100
DR-03	7,0 x 17	Schrägheck, Frontantrieb	TG	205/40-17 / 215/45-17 / 225/45-17
Brava		182		4/100
DR-03	7,0 x 17		TG	205/40-17 / 215/40-17
Coupe		FA 175		4/100
DR-03	7,0 x 17		TG	215/40-17
DR-03	7,0 x 17		TG	215/45-17
DR-03	7,0 x 17		TG	215/40-17
Croma		194		5/110
DR-02	8,0 x 18		TG	215/45-18 / 225/40-18 / 225/45-18
DR-02	8,0 x 18		FK**	
DR-02	8,5 x 18		X	
DR-02	9,0 x 18	nur HA	X	
DR-03	8,0 x 19			
Idea		350		4/100
DR-03	7,0 x 17		TG	215/35-17 / 215/40-17
DR-03	7,0 x 17		TG	205/40-17 / 215/40-17
Marea		185		4/100
DR-03	7,0 x 17	PKW geschlossen, Frontantrieb	TG	215/40-17
DR-03	7,0 x 17	PKW geschlossen, Frontantrieb	TG	215/40-17
Musa		350		4/100
DR-03	7,0 x 17		TG	215/35-17 / 215/40-17
DR-03	7,0 x 17		TG	205/40-17 / 215/40-17
Punto		199		4/100
DR-03	7,0 x 17		TG	205/40-17 / 205/45-17 / 215/40-17 / 215/45-17
Sedici		FY		5/114,3
DR-02	8,0 x 18		TG	215/40-18 / 215/45-18 / 225/40-18 / 225/45-18 / 235/40-18
DR-02	8,0 x 18		TG	215/40-18 / 215/45-18 / 225/40-18 / 225/45-18 / 235/40-18 / 245/40-18
DR-02	8,5 x 20		TG	225/30-20
DR-02	8,5 x 20		TG	225/30-20 / 235/30-20 / 245/30-20
DR-02	8,5 x 20		TG	245/30-20
DR-03	8,0 x 19			
DR-04	8,5 x 20		TG	225/30-20 / 235/30-20 / 245/30-20
Stilo		192		4/100
DR-03	7,0 x 17	Kombi, Limousine, Schrägheck 2-türig, Schrägheck 4-türig	TG	215/45-17 / 225/45-17
Ulysse				5/98
DR-02	8,0 x 18	nicht V6	FK*	

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
FORD				
Maverick				
		1EZ, -/R; 1N2, -/R		5/114,3
DR-02	8,0 x 17		TG	235/65-17
DR-02	8,0 x 17		TG	235/60-17
DR-02	8,0 x 17		TG	235/55-17 / 235/60-17 / 235/65-17 / 245/55-17
Escape/Maverick				
		1EZ/1EZR/1N2/1N2R		5/114,3
DR-02	8,0 x 18		TG	235/50-18 / 255/45-18
DR-02	8,0 x 18		TG	235/60-18
DR-02	8,0 x 18		TG	235/50-18 / 255/45-18
DR-02	8,0 x 18		FK	
DR-02	8,0 x 18		TG	235/50-18 / 255/45-18
DR-02	8,0 x 19		TG	245/45-19 / 255/40-19 / 255/45-19 / 255/50-19
DR-02	8,5 x 20		TG	245/40-20 / 255/35-20
DR-02	9,0 x 20		TG	245/40-20 / 255/35-20 / 255/45-20 / 265/35-20
DR-03	8,0 x 19			
Fiesta (5-türig)				
		JH1		5/108
DR-03	7,0 x 17		TG	195/40-17 / 205/40-17 / 215/35-17
Fiesta (3-türig)				
		JD3		5/108
DR-03	7,0 x 17		TG	195/40-17 / 205/40-17 / 215/35-17
DR-03	7,0 x 17		TG	195/40-17 / 205/40-17 / 215/35-17
Fiesta				
		JA8		5/108
DR-03	7,0 x 17		TG	195/40-17 / 205/40-17 / 215/35-17
Focus ST170 (5-türig)				
		DA1		5/108
DR-03	7,0 x 17		TG	215/40-17 / 215/45-17
Focus ST170 (3-türig)				
		DB1		5/108
DR-03	7,0 x 17		TG	215/40-17 / 215/45-17
Focus ST170 (Kombi)				
		DN1		5/108
DR-03	7,0 x 17		TG	215/40-17 / 215/45-17
Focus				
		DA3/DB3		5/108
DR-02	7,5 x 18		TG	215/40-18 - 225/40-18
DR-02	8,0 x 18		X	
DR-02	8,0 x 18		X	
DR-03	8,0 x 19			
Focus C-Max				
		DM2		5/108
DR-02	7,5 x 18		TG	215/40-18 - 225/40-18
DR-02	8,0 x 18		X	
DR-03	8,0 x 19			
Fusion				
		JU2		5/108
DR-03	7,0 x 17		TG	195/40-17 / 205/40-17 / 215/35-17 / 215/40-17
Galaxy				
		WGR		5/112
DR-02	8,0 x 18		TG	235/40-18
DR-02	9,0 x 18	nur HA	X	
Galaxy				
		WA6		5/108
DR-02	7,5 x 18		TG	235/45-18 - 235/45-18
DR-02	8,5 x 20		TG	245/35-20
DR-03	8,0 x 19			
DR-04	8,5 x 20		TG	245/35-20
Kuga				
		DM2		5/108
DR-02	8,5 x 20		TG	245/35-20 / 255/30-20 / 255/35-20
DR-04	8,5 x 20		TG	245/35-20 / 245/40-20 / 255/35-20
Mondeo				
		BWY/B4Y/B5Y		5/108
DR-02	7,5 x 18		TG	225/40-18
DR-03	8,0 x 19			
Mondeo				
		BA7		5/108
DR-02	7,5 x 18		TG	215/45-18 / 225/40-18
DR-02	8,5 x 20		TG	245/30-20
Mondeo				
		BA7-LPG		5/108
DR-02	8,5 x 20		TG	235/30-20 / 245/30-20
Mustang				
		S197		5/114,3
DR-02	8,0 x 18		FK*	
DR-02	8,5 x 18		FK*	
DR-02	8,5 x 20		TG	245/35-20 / 255/35-20
DR-02	9,0 x 20		FK*	
DR-02	9,0 x 20		TG	245/35-20 / 255/35-20
DR-04	8,5 x 20			
DR-04	10,0 x 20	nur HA		
S-Max				
		WA6		5/108
DR-02	7,5 x 18		TG	235/45-18 - 245/45-18
DR-02	8,5 x 20		TG	245/35-20
DR-03	8,0 x 19	remove washer from stud bolt		
DR-04	8,5 x 20	remove washer from stud bolt	TG	245/35-20
Transit/Tourneo Connect				
		PH2/PJ2/PT2/PU2		5/108
DR-02	7,5 x 18		TG	225/40-18

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
HONDA			
Accord		CL3/CL4	5/114,3
DR-02	8,0 x 18		TG 225/35-18
Accord		CL7 / CL9 / CN1	5/114,3
DR-02	7,5 x 18		FK*
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,5 x 18		FK*
DR-02	9,0 x 18	nur HA	FK*
DR-03	8,0 x 19		
Accord Tourer		CM1 / CM2 / CN2	5/114,3
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18 / 245/35-18
Accord			5/114,3
DR-03	8,0 x 19		
Accord Coupe		CG4	5/114,3
DR-02	7,5 x 18		FK*
DR-02	8,0 x 18		TG 225/40-18
DR-02	8,5 x 18		FK**
DR-03	8,0 x 19		
Accord Type R			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		FK**
DR-02	8,5 x 18		FK**
DR-03	8,0 x 19		
Civic Aerodeck		MB8/MB9/MC1/MC3	4/100
DR-03	7,0 x 17		TG 205/40-17
Civic		EG2 / EH6	4/100
DR-03	7,0 x 17		TG 205/40-17
Civic		EG3/EG4/EG8/EH9	4/100
DR-03	7,0 x 17		TG 205/40-17
Civic		EG5/EG6/EG9	4/100
DR-03	7,0 x 17		TG 205/40-17
Civic		EJ1 / EJ2	4/100
DR-03	7,0 x 17		TG 205/40-17
Civic		EJ6 / EJ8	4/100
DR-03	7,0 x 17		TG 205/40-17 / 225/35-17
Civic		EJ9 / EK1/EK3	4/100
DR-03	7,0 x 17		TG 205/40-17
Civic		EK4 / EM1	4/100
DR-03	7,0 x 17		TG 205/40-17
Civic		EM2	4/100
DR-03	7,0 x 17		TG 205/40-17 / 205/45-17 / 215/40-17
Civic		EP1/EP2/EP4/EU5/EU6/EU7/EU8/EU9	4/100
DR-03	7,0 x 17		TG 205/40-17 / 205/45-17 / 215/40-17
Civic		MA8 / MA9 / MB1	4/100
DR-03	7,0 x 17		TG 205/40-17
Civic		MB2/MB3/MB4/MB7	4/100
DR-03	7,0 x 17		TG 205/40-17
Jazz		GD1/GD5/GE2/GE3	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/35-17
Civic		FK1/2/3	5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,5 x 20		TG 225/30-20 (max. 1030kg) / 235/30-20
DR-03	8,0 x 19		
Civic		FD3	5/114,3
DR-02	8,0 x 18		TG 205/45-18 / 215/40-18 / 225/40-18
DR-02	8,0 x 18		TG 205/45-18 / 215/40-18
Civic		EP3	5/114,3
DR-02	8,0 x 18		TG 215/35-18 / 225/35-18
DR-02	8,0 x 18		TG 215/35-18
Civic		EP1/2/4/EU5/6/7/8/9/EV1	5/114,3
DR-02	8,0 x 18		TG 215/35-18 / 215/40-18 / 225/35-18 / 225/40-18
DR-02	8,0 x 18		TG 215/35-18 / 215/40-18
Civic Sport			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		FK
DR-03	8,0 x 19		
Civic Type R			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		FK
DR-03	8,0 x 19		
CR-V			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 235/45-18
CR-V		RD8	5/114,3
DR-02	8,0 x 18		TG 225/50-18 / 235/45-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 18		TG 225/45-18 / 235/45-18 / 245/40-18 / 245/45-18

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
CR-V		RD9	5/114,3
DR-02	8,0 x 18		TG 225/50-18 / 235/45-18 / 235/50-18 / 245/45-18 / 255/45-18
CR-V		RD8/RD9	5/114,3
DR-02	8,0 x 18		TG 235/45-18 / 245/45-18
DR-02	8,5 x 20		TG*
DR-03	8,0 x 19		
DR-04	8,5 x 20		
CR-V		RE5/RE6	5/114,3
DR-02	8,0 x 18		TG*
DR-02	8,5 x 20		TG*
FR-V			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18
DR-02	8,5 x 18		FK**
DR-03	8,0 x 19		
HR-V			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		FK
DR-03	8,0 x 19		
Integra			5/114,3
DR-02	7,5 x 18		FK**
Integra Type R			5/114,3
DR-02	7,5 x 18		FK**

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
HYUNDAI			
Accent		MC / MCT	4/100
DR-03	7,0 x 17	Stufenheck, Schrägheck	TG 205/40-17
Getz		TBI	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/35-17
Getz		TB	4/100
DR-03	7,0 x 17		TG 215/35-17
DR-03	7,0 x 17		TG 205/40-17 / 215/35-17
Coupe		GK	5/114,3
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 225/35-18
DR-02	8,0 x 19		TG 215/35-19 / 225/35-19
DR-03	8,0 x 19		TG 215/35-19 / 225/35-19 (Facelift 2006)
i20		PB	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/40-17
i30 / i30 CW		FD	5/114,3
DR-02	8,0 x 17		TG 205/50-17 / 215/45-17 / 225/45-17 / 235/40-17
DR-02	8,0 x 18		TG 215/35-18 - 225/40-18
DR-02	8,0 x 18		TG 205/45-18 / 215/40-18 / 225/40-18
DR-02	8,0 x 18		TG 215/40-18
DR-02	8,0 x 19		TG 225/35-19
DR-02	8,0 x 19		TG 215/35-19
DR-03	8,0 x 19		TG 215/35-19 / 225/35-19
Grandeur		TG	5/114,3
DR-02	8,0 x 18		TG 225/50-18 / 235/45-18 / 245/45-18
DR-02	8,0 x 18		TG 225/50-18 / 225/45-18 / 235/45-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,5 x 18		FK**
DR-02	8,0 x 19		TG 225/45-19 / 235/40-19 / 235/45-19 / 245/40-19
DR-02	8,5 x 20		TG 245/35-20 / 255/35-20
Grandeur		TG	5/114,3
DR-02	8,5 x 20		TG*
DR-03	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19
DR-04	8,5 x 20		TG 245/35-20 / 255/35-20
Santa Fe		CM	5/114,3
DR-02	8,0 x 18		TG 235/60-18
DR-02	8,0 x 18		TG 235/60-18 / 255/55-18
DR-02	8,5 x 18		FK**
DR-02	8,0 x 19		TG 255/45-19
DR-02	8,5 x 20		TG 255/45-20 / 265/45-20
DR-02	9,0 x 20		TG 255/45-20
DR-03	8,0 x 19		TG 235/55-19 / 255/45-19
DR-04	8,5 x 20		TG 255/45-20 / 265/45-20
Santa Fe		SM	5/114,3
DR-02	8,0 x 17		TG 225/55-17 / 235/50-17 / 235/55-17
DR-02	8,0 x 17		TG 225/60-17 / 235/55-17
DR-02	8,0 x 18		TG 235/50-18 / 245/45-18 / 255/45-18 (82-107KW) / 235/55-18 / 235/60-18 (82-127KW)
DR-02	8,0 x 18		TG 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 18		TG 235/55-18 / 235/60-18
DR-02	8,5 x 18		FK**
DR-02	8,5 x 20		TG*
Sonata		NF	5/114,3
DR-02	8,0 x 17		TG 225/50-17 / 235/45-17 / 245/45-17
DR-02	8,0 x 18		TG 225/45-18 / 235/40-18 / 235/45-18 / 245/40-18
DR-02	8,0 x 18		TG 225/45-18 / 235/40-18 / 235/45-18 / 245/40-18
DR-02	8,0 x 19		TG 225/40-19 / 235/35-19 / 245/35-19
DR-02	8,5 x 20		TG 245/30-20
DR-02	9,0 x 20		TG 245/30-20
DR-03	8,0 x 19		TG 235/35-19
DR-04	8,5 x 20		TG 245/30-20
Trajjet		FO	5/114,3
DR-02	8,0 x 17		TG 225/50-17 / 235/45-17 / 245/45-17
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 235/40-18
DR-02	8,0 x 18		FK
Tucson		JM	5/114,3
DR-02	8,0 x 17	ohne Radhausverbreiterung	TG 225/50-17 / 235/50-17 / 235/55-17
DR-02	8,0 x 17	mit Radhausverbreiterung	TG 225/50-17 / 235/50-17 / 235/55-17
DR-02	8,0 x 18		TG 225/50-18 / 235/45-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 18		TG 225/50-18 / 235/45-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19
DR-02	8,5 x 20		TG*
DR-02	9,0 x 20		TG* 245/35-20 / 255/35-20
DR-03	8,0 x 19		
DR-04	8,5 x 20		TG 245/35-20 / 255/35-20
XG ...		250/300/350	5/114,3
DR-02	8,0 x 18		TG 225/40-18
DR-02	8,0 x 18		TG 225/40-18

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
--------	-------	---------	---------------------------

INFINITY

FX35 / 45

5/114,3

DR-02	8,5 x 18		FK**
-------	----------	--	------

DR-02	9,0 x 18	nur HA	FK**
-------	----------	--------	------

DR-03	8,0 x 19		
-------	----------	--	--

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
JAGUAR				
S-Type		CCX	5/108	
DR-02	8,0 x 18	nicht 4,2 V8R, 4,0 V8	FK**	
DR-03	8,0 x 19	inkl. R 4,2 V8 supercharged		
DR-04	8,5 x 18	Fahrzeuge bis Modelljahr 2001	TG	235/40-18 / 245/40-18
DR-04	8,5 x 18	Fahrzeuge ab Modelljahr 2002	TG	235/40-18 / 245/40-18
DR-04	8,5 x 18		TG	245/40-18
DR-04	9,0 x 20	nur HA		
DR-04	8,5 x 20			
XJ		N*3	5/108	
DR-02	7,5 x 18		FK	
DR-02	8,0 x 18		FK**	
DR-02	9,0 x 18		FK**	
DR-02	8,5 x 20		TG*	255/35-20
DR-02	9,0 x 20		FK**	
DR-03	8,0 x 19			
DR-04	8,5 x 18		TG	235/50-18 / 245/45-18 / 255/45-18
DR-04	8,5 x 20		TG	245/35-20 / 255/35-20
DR-04	9,0 x 20			
XF		CC9	5/108	
DR-04	8,5 x 18		TG	245/45-18 / 255/40-18 / 255/45-18
XJ			5/120,65	
DR-02	8,5 x 18		FK**	
XK8 / R			5/120,65	
DR-02	8,5 x 18	nicht 4,2R	FK**	
DR-02	9,0 x 20	nur VA	FK**	
DR-02	10,0 x 20	nur HA	FK**	
X-Type, inkl. Kombi		CF1	5/108	
DR-02	7,5 x 18		TG	225/40-18
DR-02	8,0 x 18		FK**	
DR-02	9,0 x 18	nur HA	FK**	
DR-03	8,0 x 19			

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
JEEP			
Cherokee		KJ	5/114,3
DR-02	8,0 x 18		TG 255/55-18
Cherokee		KK	5/114,3
DR-02	8,5 x 20		TG 245/45-20 / 255/40-20
Compass		PK	5/114,3
DR-02	8,0 x 18		TG 215/55-18 / 245/45-18
DR-02	8,0 x 19		TG 225/45-19 / 235/40-19 / 235/45-19
DR-02	8,5 x 20		TG 245/35-20
DR-03	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19
DR-04	8,5 x 20		TG 245/35-20
Commander		WH	5/127
DR-02	8,5 x 18		TG 245/60-18 / 255/55-18
DR-02	9,0 x 20		TG 265/45-20 / 275/40-20
DR-02	9,0 x 22		TG 265/35-22
DR-03	8,0 x 19		
DR-04	8,5 x 20		
DR-04	9,0 x 20		TG 245/45-20 / 255/45-20 / 265/45-20 / 275/40-20
Grand Cherokee		WJ/WG	5/127
DR-02	9,0 x 20		TG 265/45-20 / 275/40-20
DR-04	9,0 x 20		TG 265/45-20 / 275/40-20
Grand Cherokee		WH	5/127
DR-02	8,5 x 18		TG 235/60-18 / 245/60-18 / 255/55-18
DR-02	9,0 x 20		TG 255/45-20 / 265/45-20 / 275/40-20
DR-02	9,5 x 22		TG 265/35-22
DR-03	8,0 x 19		
DR-04	8,5 x 20		
DR-04	9,0 x 20		TG 245/45-20 / 255/45-20 / 265/45-20 / 275/40-20
Grand Cherokee SRT8		WH	5/127
DR-04	9,0 x 20		TG 255/45R20 M+S
DR-04	9,0 x 20		TG 245/45-20 / 255/45-20 / 265/45-20 / 275/40-20
Patriot		PK	5/114,3
DR-02	8,0 x 18		TG 215/55-18 / 245/45-18
DR-02	8,0 x 19		TG 225/45-19 / 235/40-19 / 235/45-19
DR-02	8,5 x 20		TG 245/35-20
DR-04	8,5 x 20		TG 245/35-20
Wrangler		JK	5/127
DR-02	8,5 x 18		TG*
DR-02	9,0 x 20		TG 255/50-20 / 265/50-20 / 275/45-20 / 275/50-20 / 275/55-20
DR-02	9,5 x 22		TG 265/40-22 / 275/35-22 / 275/45-22
DR-04	8,5 x 20		
DR-04	9,0 x 20		TG 255/50-20 / 265/50-20 / 275/45-20 / 275/50-20 / 275/55-20 / 285/50-20

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
KIA			
Carens		FG	5/114,3
DR-02	8,0 x 17		TG 225/50-17 / 235/45-17 / 245/45-17
DR-02	8,0 x 18		TG 215/45-18 / 225/40-18 / 225/45-18 / 235/40-18 / 245/40-18
DR-02	8,0 x 18		TG 225/40-18 / 225/45-18 / 235/40-18 / 245/40-18
DR-02	8,0 x 19		TG 235/35-19 / 245/35-19
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
Carnival			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG**
JB		DE	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/35-17 / 215/40-17
DR-03	7,0 x 17		TG 205/40-17
Rio		DE	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/35-17 / 215/40-17
DR-03	7,0 x 17		TG 205/40-17
Rio		DC	4/100
DR-03	7,0 x 17	nur bis e11*98/14*0132*03	TG 205/40-17
DR-03	7,0 x 17	ab e11*98/14*0132*04	TG 205/40-17
Soul		AM	5/114,3
DR-02	8,0 x 19		TG 225/35-19
Cee'd		ED	5/114,3
DR-02	8,0 x 17		TG 205/50-17 / 215/45-17 / 225/45-17 / 235/40-17
DR-02	8,0 x 18		TG 205/45-18 / 215/40-18 / 225/35-18 / 225/40-18
DR-02	8,0 x 18		TG 205/45-18 / 215/40-18 / 225/35-18 / 225/40-18
DR-02	8,0 x 19		TG 225/35-19
DR-02	8,0 x 19		TG 215/35-19
DR-03	8,0 x 19		TG 215/35-19 / 225/35-19
Shuma		FB	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/40-17
Magentis		GE	5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/45-18 / 225/40-18 / 225/45-18
DR-02	8,0 x 18		TG 215/45-18 / 225/40-18 / 225/45-18 / 235/40-18
DR-02	8,0 x 18		TG 225/40-18
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19 / 245/35-19
MG		GE	5/114,3
DR-02	8,0 x 18		TG 215/45-18 / 225/40-18 / 225/45-18 / 235/40-18
DR-02	8,0 x 18		TG 225/40-18
Optimva		GE	5/114,3
DR-02	8,0 x 18		TG 215/45-18 / 225/40-18 / 225/45-18 / 235/40-18
DR-02	8,0 x 18		TG 225/40-18
Opirus		LD	5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/45-18 / 235/45-18 / 245/45-18
DR-02	8,0 x 18		TG 225/45-18 / 235/45-18 / 245/45-18
DR-02	8,5 x 18		FK**
DR-02	8,0 x 19		TG 245/40-19
DR-02	8,5 x 20		TG 245/35-20 / 255/35-20
DR-02	9,0 x 20		TG 245/35-20
DR-03	8,0 x 19		TG 225/45-19
DR-04	8,5 x 20		
Sportage		JE/JES	5/114,3
DR-02	8,0 x 17	ohne Radhausverbreiterung	TG 225/55-17 / 235/50-17 / 235/55-17
DR-02	8,0 x 17	mit Radhausverbreiterung	TG 225/55-17 / 235/50-17 / 235/55-17
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/50-18 / 235/45-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 18		TG 225/50-18 / 235/45-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,5 x 18		FK**
DR-02	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19
DR-02	8,5 x 20		TG*
DR-02	9,0 x 20		TG* 245/35-20 / 255/35-20
DR-03	8,0 x 19		TG 225/45-19 / 245/40-19
DR-04	8,5 x 20		TG 245/35-20 / 255/35-20
Sorento		JC	5/139,7
DR-02	8,5 x 18		TG 235/60-18 / 255/55-18 / 265/55-18
DR-02	9,0 x 20		TG 265/45-20 / 275/40-20
DR-02	9,5 x 22		TG 265/35-22 / 285/30-22
DR-03	9,0 x 19		
DR-04	8,5 x 20		
Sorento		XM	5/114,3
DR-02	8,0 x 18		TG* 235/60-18 / 255/55-18
DR-02	8,0 x 18		TG* 235/60-18 / 255/55-18
DR-02	8,0 x 19		TG 235/50-19 / 235/55-19 / 255/45-19 / 255/50-19
DR-02	8,5 x 20		TG*
DR-02	9,0 x 20		TG*
DR-02	9,5 x 22		TG* 245/35-22
DR-04	8,5 x 20		TG*

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
LANCIA			
Phedra			5/98
DR-02	8,0 x 18	nicht V6	TG**
Thesis			5/108
DR-02	8,0 x 18	nicht 3,0 V6, 3,2 V6, 2,4JTD m-jet	TG*
Ypsilon		843	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/35-17

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
LAND ROVER				
Freelander			5/114,3	
DR-02	7,5 x 18		FK**	
DR-02	8,0 x 18		TG**	
DR-02	8,5 x 18		FK**	
DR-04	8,5 x 20			
Freelander 2			5/108	
DR-02	8,5 x 20		TG	255/45-20 / 265/45-20
DR-03	8,0 x 19	remove washer from stud bolt		
DR-04	8,5 x 20	remove washer from stud bolt	TG	245/45-20 / 255/45-20 / 265/45-20
Range Rover			5/120	
DR-02	9,0 x 20	nicht 4,2 V8 supercharged	TG**	
DR-03	9,0 x 19	n. 4,2 V8 supercharged, 3,6 TdV8, Schlüsselw. 21, max Achsl. 950kg		
DR-04	10,0 x 20	max Achslast 950kg		
Range Sport			5/120	
DR-02	8,5 X 18		TG**	
DR-02	9,0 x 20	nicht für Fahrzeuge mit Brembo-Bremse	TG	255/45-20 - 265/45-20 / 275/40-20
DR-02	10,0 x 20		FK*	
DR-03	9,0 x 19	nicht 4,2 V8 supercharged, 3,6 TdV8, Schlüsselweite 21		
DR-04	10,0 x 20			
Discovery 3			5/120	
DR-02	9,0 x 20		TG	255/50-20 / 275/45-20
DR-03	9,0 x 19	Schlüsselweite 21		

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
LEXUS			
GS300			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		FK
DR-02	8,5 x 20		TG*
GS300 / GS430			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 235/40-18 / 245/40-18
DR-02	8,0 x 18		TG 235/40-18 / 245/40-18
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,5 x 20		TG*
DR-03	8,0 x 19		
GS			5/114,3
DR-04	8,5 x 20		TG 245/30-20 / 255/30-20
IS200 / IS300			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/40-18
DR-02	8,0 x 18		TG 225/40-18
DR-02	9,0 x 18	nur HA	FK**
DR-03	8,0 x 19		
IS250 / IS220d			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,5 x 20		TG 235/30-20 / 245/30-20 / 255/30-20
DR-03	8,0 x 19		
IS250 / IS220d			5/114,3
DR-02	8,5 x 20		TG 245/30-20 / 255/30-20
DR-04	8,5 x 20		TG VA 235/30-20 HA 245/30-20 / 255/30-20
SC430			5/114,3
DR-02	8,5 x 18		FK**
DR-02	8,5 x 20		TG*
DR-02	8,5 x 20		TG 245/30-20
DR-03	8,0 x 19		
DR-04	8,5 x 20		TG 245/30-20
LS430			5/114,3
DR-04	8,5 x 20		
RX300, RX350			5/114,3
DR-02	8,0 x 18		TG 245/45-16
DR-02	9,0 x 20	nur VA	TG 245/40-20
DR-02	9,0 x 20	nur HA	TG 245/40-20
RX300			5/114,3
DR-02	9,0 x 20	nur VA	TG 245/40-20
DR-02	9,0 x 20	nur HA	TG 245/40-20
RX300 / 400			5/114,3
DR-04	8,5 x 20		
RX400h			5/114,3
DR-02	8,0 x 18		TG 245/45-16
DR-02	9,0 x 20	nur VA	TG 245/40-20
DR-02	9,0 x 20	nur HA	TG 245/40-20

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
MAZDA			
2		DE	4/100
DR-03	7,0 x 17	Schrägheck, Frontantrieb	TG 195/40-17 / 205/40-17 / 215/35-17
3		BK	5/114,3
DR-02	8,0 x 17		TG 205/50-17 / 215/45-17 / 225/45-17 / 235/40-17
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18
DR-02	8,0 x 18		TG 225/35-18 / 225/40-18
DR-03	8,0 x 19		
3		BK	5/114,3
DR-02	8,0 x 17		TG 205/50-17 / 215/45-17 / 225/45-17
DR-02	8,0 x 18		TG 215/45-18
3		BL	5/114,3
DR-02	8,0 x 18		TG 225/35-18 / 235/35-18
DR-02	8,0 x 19		TG 225/30-19
DR-02	8,0 x 19		TG 215/35-19
DR-02	8,0 x 19		TG 225/35-19
DR-04	8,5 x 20		TG 225/30-20
323		BA	4/100
DR-03	7,0 x 17	Mazda 323F	TG 205/40-17
DR-03	7,0 x 17	Mazda 323C/S	TG 205/40-17
DR-03	7,0 x 17	Mazda 323C/S	TG 205/40-17
DR-03	7,0 x 17	Mazda 323P	TG 205/40-17
DR-03	7,0 x 17	Mazda 323P	TG 205/40-17
323		BG	4/100
DR-03	7,0 x 17		TG 205/40-17
323F		BJ / BJD	5/114,3
DR-02	8,0 x 17		TG 215/40-17 / 225/35-17
DR-02	8,0 x 18		TG 215/35-18
DR-03	7,0 x 17	Stufenheck	TG 205/40-17
DR-03	7,0 x 17	Schrägheck	TG 205/40-17
DR-03	7,0 x 17	Stufenheck	TG 205/40-17
DR-03	7,0 x 17	Schrägheck	TG 205/40-17
5		CR1	5/114,3
DR-02	8,0 x 17		TG 205/50-17 / 215/45-17 / 225/45-17
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/40-18
DR-02	8,0 x 18		TG 225/40-18
DR-03	8,0 x 19		
6		GG/GY; GG1/GY1	5/114,3
DR-02	8,0 x 17		TG 205/50-17
DR-02	8,0 x 17		TG 215/45-17 / 225/45-17 / 235/40-17 / 245/40-17
DR-02	8,0 x 17		TG 215/45-17
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/45-18 / 225/35-18 / 225/40-18 / 245/35-18
DR-02	8,0 x 18		TG 225/35-18 / 225/40-18 / 245/35-18 (215/45-18 für 122KW)
DR-02	8,5 x 18		FK**
DR-02	8,0 x 19		TG 235/35-19
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	8,0 x 19		
6 MPS		GG1	5/114,3
DR-02	8,0 x 18		TG 225/40-18
DR-02	8,0 x 18		TG 215/45-18 / 225/40-18 / 235/40-18
626			5/114,3
DR-02	8,0 x 18		TG**
626		GF ww. GF/GW, -/D	5/114,3
DR-02	8,0 x 17		TG 205/45-17 / 215/40-17 / 215/45-17
6		GH	5/114,3
DR-02	8,0 x 17		TG 215/50-17 / 225/45-17 / 235/45-17
DR-02	8,0 x 18		TG 215/45-18 / 225/35-18 / 225/45-18 / 235/40-18 / 245/40-18
DR-02	8,0 x 18		TG 215/45-18 / 225/40-18 / 225/45-18 / 235/40-18 / 25/45-18
DR-04	8,5 x 20		TG 235/30-20
DR-04	8,5 x 20		TG 225/35-20 / 245/30-20
DR-04	8,5 x 20		TG 225/35-20 / 235/30-20 (nicht größer 125KW) / 245/30-20
323F			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/35-18
CX-7		ER	5/114,3
DR-02	8,0 x 17		TG 235/65-17 / 255/60-17
DR-02	8,0 x 18		TG 235/60-18 / 255/55-18
DR-02	8,0 x 18		TG 235/60-18 / 245/55-18 / 255/55-18
DR-02	8,5 x 20		TG
DR-02	9,0 x 20		TG 245/45-20 / 255/45-20 / 265/45-20
DR-04	8,5 x 20		TG 245/45-20 / 255/45-20 / 265/45-20
MPV		LV	5/114,3
DR-02	8,0 x 17		TG 225/50-17 / 235/45-17 / 245/45-17
MPV		LW/LWD	5/114,3
DR-02	8,0 x 17		TG 235/45-17
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 245/40-18
DR-02	8,0 x 18		TG 235/45-18
DR-02	8,0 x 18		TG 235/40-18 / 245/40-18
DR-02	8,0 x 18		TG 235/40-18 / 235/45-18 / 245/40-18

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
MX-3		EC	4/100
DR-03	7,0 x 17		TG 215/40-17
MX-5		NA	4/100
DR-03	7,0 x 17		TG 205/40-17
MX-5		NB	4/100
DR-03	7,0 x 17		TG 205/40-17 / 225/35-17
MX-5		NC1/NC1E	5/114,3
DR-02	8,0 x 17		TG 205/45-17 / 215/40-17 / 215/45-17 / 235/40-17
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/35-18 / 215/40-18 / 225/35-18
DR-03	8,0 x 19		
MX-6		GE6	5/114,3
DR-02	8,0 x 17		TG 215/40-17
Premacy		CD, CPD	5/114,3
DR-02	8,0 x 17		TG 215/40-17
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG**
RX8		SE	5/114,3
DR-02	8,0 x 17		TG 225/50-17 / 235/45-17
DR-02	8,0 x 17		TG 225/50-17 / 235/45-17
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/45-18 / 235/40-18 / 245/40-18
DR-02	8,0 x 18		TG 225/45-18 / 235/40-18 / 245/40-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,0 x 19		TG 225/40-19 / 235/35-19 / 245/35-19
DR-02	8,5 x 20		TG 245/30-20 / 255/30-20
DR-02	9,0 x 20		TG 245/30-20 / 255/30-20
DR-03	8,0 x 19		
DR-04	8,5 x 20		TG 245/30-20 / 255/30-20
DR-04	10,0 x 20	nur HA	
Tribute		EP/EPR/EP2/EP2R	5/114,3
	8,0 x 17	mit Radhausverbreiterung	TG 235/65-17
DR-02	8,0 x 17	mit Radhausverbreiterung	TG 235/55-17 / 235/60-17 / 235/65-17 / 245/55-17
DR-02	8,0 x 17	ohne Radhausverbreiterung	TG 235/55-17 / 235/60-17 / 235/65-17 / 245/55-17
DR-02	8,0 x 18		TG 235/50-18 / 255/45-18
DR-02	8,0 x 18		TG 235/60-18
DR-02	8,0 x 18		TG 235/50-18 / 255/45-18 / 235/60-18
DR-02	8,0 x 19		TG 245/45-19 / 255/40-19 / 255/45-19 / 255/50-19
DR-02	8,5 x 20		TG EP/EPR/EP2/EP2R
DR-02	9,0 x 20		TG 245/40-20 / 255/35-20 / 255/45-20 / 265/35-20
DR-03	8,0 x 19		
Xedos 6		CA	5/114,3
DR-02	8,0 x 17		TG 205/45-17 / 215/40-17
Xedos 9		TA	5/114,3
DR-02	8,0 x 17		TG 205/50-17 / 215/50-17 / 225/45-17 / 235/45-17
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
MERCEDES				
A-Klasse				
DR-03	8,0 x 19			5/112
A-Klasse				
DR-02	8,0 x 18	169	TG	215/35-18 / 215/40-18 / 225/35-18
DR-02	8,0 x 18		TG	215/35-18 / 215/40-18 / 225/35-18
DR-03	8,0 x 19			
B-Klasse				
DR-02	8,0 x 18	245	TG	215/40-18 / 225/35-18 / 225/40-18
DR-02	8,0 x 18		TG	215/40-18 / 225/35-18 / 225/40-18
DR-03	8,0 x 19			
C-Klasse				
DR-02	8,0 x 18	H0	TG	225/40-18
DR-03	8,0 x 19	inkl. C36 AMG, C43 AMG		
C-Klasse				
DR-02	8,0 x 18	202	TG	225/40-18
C-Klasse				
DR-03	8,0 x 19	inkl. C30 AMG, C32 AMG, C55 AMG		
DR-03	9,0 x 19	nur HA		
C-Klasse				
DR-02	8,0 x 18	203	TG	225/40-18
DR-02	8,0 x 18		TG	225/40-18
DR-02	8,0 x 18		TG	225/40-18
C-Klasse				
DR-02	8,0 x 18	203 CL	TG	225/40-18
C-Klasse				
DR-02	8,0 x 18	204	TG*	225/40-18 / 235/40-18 / 245/35-18
DR-02	8,0 x 18		TG	225/40-18 / 235/40-18 / 245/35-18
DR-02	8,5 x 20		TG	235/30-20
C-Klasse				
DR-03	8,0 x 19			5/112
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20			
CLK				
DR-03	8,0 x 19	inkl. CLK55 AMG, CLK63 AMG		5/112
DR-03	9,0 x 19	nur HA		
CLK-Klasse				
DR-02	8,0 x 18	208	TG	225/40-18
CLK-Klasse				
DR-02	8,0 x 18	209	TG	225/40-18 / 245/35-18
CLK				
DR-03	8,0 x 19	inkl. CLK55 AMG		5/112
DR-03	9,0 x 19	nur HA		
CL				
DR-03	9,0 x 19	inkl. CL63 AMG, CL65 AMG		5/112
DR-04	10,0 x 20	nur HA, inkl. CL63 AMG, CL65 AMG		
DR-04	8,5 x 20	nur VA, inkl. CL63 AMG, CL65 AMG		
DR-04	9,0 x 20	nur HA, inkl. CL63 AMG, CL65 AMG		
CL-Klasse				
DR-04	9,0 x 20	216	TG	245/35-20 / 255/35-20 / 265/30-20 / 265/35-20 / 275/30-20 / 275/35-20
CL				
DR-02	8,5 x 18	nicht CL55 AMG, CL65 AMG	FK**	
DR-02	9,0 x 18	nur HA	FK**	
DR-02	8,0 x 18		TG	245/45-18 / 255/45-18
DR-02	8,5 x 20		TG	245/35-20
DR-02	9,0 x 20	nur VA	TG*	
DR-02	10,0 x 20	nur HA	TG*	
DR-03	8,0 x 19	inkl. CL55 AMG, CL65 AMG		
DR-03	8,0 x 19	inkl. CL55 AMG, CL65 AMG		
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20	nur VA		
DR-04	9,0 x 20		TG	245/35-20 / 275/30-20
DR-04	10,0 x 20	nur HA		
CLS				
DR-04	9,0 x 20	219	TG	245/30-20 / 255/30-20
E-Klasse				
DR-02	8,0 x 18	124	TG	225/40-18 / 235/40-18
E-Klasse				
DR-02	8,0 x 18	124 C	TG	225/40-18 / 235/40-18
E-Klasse				
DR-03	8,0 x 19	inkl. E55 AMG		5/112
DR-03	9,0 x 19	nur HA		
E-Klasse				
DR-02	8,0 x 18	210	TG	225/40-18 / 235/40-18 / 255/35-18
DR-02	8,0 x 18		TG	235/40-18

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
E-Klasse		211	5/112	
DR-02	8,0 x 18		TG	225/45-18 / 235/40-18 / 245/40-18
DR-02	8,0 x 18		TG	235/40-18 / 245/40-18
DR-03	8,0 x 19	inkl. E55 AMG, E63 AMG		
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20	nur VA		
DR-04	9,0 x 20		TG	245/30-20
DR-04	10,0 x 20	nur HA		
E-Klasse		212	5/112	
DR-02	9,0 x 20		TG	245/30-20
S-Klasse			5/112	
DR-03	9,0 x 19	inkl. S63 AMG		
DR-04	8,5 x 20	nur VA, inkl. S63 AMG		
DR-04	9,0 x 20	nur VA, inkl. S63 AMG		
DR-04	10,0 x 20	nur VA, inkl. S63 AMG		
S-Klasse		140	5/112	
DR-02	8,0 x 18		TG	255/45-18
DR-04	9,0 x 20		TG	245/35-20 / 255/35-20 / 265/35-20 / 275/30-20
S-Klasse		140 C	5/112	
DR-02	8,0 x 18		TG	255/45-18
DR-04	9,0 x 20		TG	245/35-20 / 255/35-20 / 265/35-20 / 275/30-20
S-Klasse		221	5/112	
DR-04	9,0 x 20		TG	245/35-20 / 255/35-20 / 265/30-20 / 265/35-20 / 275/30-20 / 275/35-20
S-Klasse		220	5/112	
DR-02	8,0 x 18		TG	235/45-18 / 245/45-18 / 255/45-18
DR-02	8,5 x 18		FK**	
DR-02	9,0 x 18	nur HA	FK**	
DR-02	9,0 x 20	nur VA	TG*	
DR-02	10,0 x 20	nur HA	TG*	
DR-03	8,0 x 19	inkl. AMG		
DR-03	8,0 x 19	inkl. AMG		
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20		TG	245/35-20 / 275/30-20
DR-04	9,0 x 20	nur HA		
DR-04	10,0 x 20	nur HA		
S-Klasse			5/112	
DR-02	8,5 x 18	nicht S55 AMG, S65 AMG	FK**	
DR-03	8,0 x 19	inkl. AMG		
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20			
DR-04	9,0 x 20	nur HA		
DR-04	10,0 x 20	nur HA		
SLK		170	5/112	
DR-02	8,0 x 18		TG	225/40-18 / 245/35-18
SLK			5/112	
DR-03	8,0 x 19	inkl. SLK32 AMG		
DR-03	9,0 x 19	nur HA		
SLK			5/112	
DR-03	8,0 x 19	inkl. SLK55 AMG, SLK350		
DR-03	9,0 x 19	nur HA		
SL			5/112	
DR-02	9,0 x 20	nur VA	TG*	
DR-02	10,0 x 20	nur HA	TG*	
DR-03	8,0 x 19	inkl. SL65 AMG, SL55 AMG		
DR-03	9,0 x 19	inkl. SL55 AMG, no SL65 AMG		
DR-04	8,5 x 20	nur VA		
DR-04	9,0 x 20			
DR-04	10,0 x 20	nur HA		
SL 280, 350, 500		230	5/112	
DR-04	9,0 x 20		TG	255/30-20
SL 600		230	5/112	
DR-04	9,0 x 20		TG	255/30-20
Viano			5/112	
DR-02	8,0 x 18		TG**	
DR-03	8,0 x 19			
Vito		638/1/2/4	5/112	
DR-02	8,0 x 18		TG	235/45-18 (638/1/2) / 235/50-18 / 245/45-18 / 255/45-18 (639/4)
DR-03	8,0 x 19			
M-Klasse		163	5/112	
DR-02	10,0 x 20		TG*	
DR-03	9,0 x 19	inkl. M55 AMG		
DR-04	9,0 x 20			
DR-04	10,0 x 20			
M-Klasse		164	5/112	
DR-02	9,0 x 20	only AMG body	TG	255/45-20 / 265/45-20 / 275/40-20
DR-02	10,0 x 20	only AMG body	TG**	
DR-02	9,5 x 22	only AMG body	TG	265/35-22 / 285/30-22
DR-02	11,0 x 23		TG	315/25-23
DR-03	8,0 x 19	nicht M63 AMG		
DR-03	9,0 x 19	nicht M63 AMG, only AMG body		
DR-04	10,0 x 20	nicht AMG, AMG Body		
DR-04	10,0 x 20	nur AMG, AMG body		

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
R-Klasse		251	5/112	
DR-02	9,0 x 20	body outstanding max 5mm	TG	255/45-20 / 265/45-20 / 275/40-20
DR-02	9,5 x 22		TG	265/35-22 / 285/30-22
DR-02	11,0 x 23		TG	315/25-23
DR-03	8,0 x 19	nicht R63 AMG		
DR-03	9,0 x 19	nicht R63 AMG		
DR-04	10,0 x 20			
R-Klasse AMG		251AMG	5/112	
DR-02	9,5 x 22		TG	265/35-22 / 285/30-22
GL-Klasse		164G	5/112	
DR-02	9,5 x 22	max Achslast 950kg, only 320 CDI	TG	285/35-22
DR-02	11,0 x 23		TG	285/35-23 / 305/30-23
DR-03	9,0 x 19	max Achslast 950kg, only 320 CDI		
DR-04	10,0 x 20	max Achslast 950kg		

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
MINI				
Mini			4/100	
DR-03	7,0 x 17		TG	205/40-17
DR-03	7,0 x 17		TG	205/40-17
DR-03	7,0 x 17		TG	205/45-17 / 215/40-17 / 215/45-17
Mini			Mini-N	
Mini			4/100	
DR-03	7,0 x 17	nicht Ausf. Sport 18 Zoll, nur Clubman, Kombi, Frontantrieb	TG	205/40-17 / 205/45-17 / 215/40-17 / 215/45-17
DR-03	7,0 x 17	nicht Ausf. Sport 18 Zoll, nur Clubman, Kombi, Frontantrieb	TG	205/40-17
Mini			Mini R50	
Mini			4/100	
DR-03	7,0 x 17		TG	205/40-17
DR-03	7,0 x 17		TG	205/40-17
DR-03	7,0 x 17		TG	205/40-17 / 215/40-17 / 215/45-17
Mini			Mini-N	
Mini			4/100	
DR-03	7,0 x 17	nicht Clubman, nicht Ausf. Cooper	TG	205/40-17
DR-03	7,0 x 17		TG	205/40-17 / 205/45-17 / 215/40-17 / 215/45-17

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
mitsubishi				
Grandis		NA0W		5/114,3
DR-02	8,0 x 17		TG	215/55-17 / 225/50-17 / 235/45-17
DR-02	8,0 x 18		TG	225/45-18 / 235/40-18 / 235/45-18
DR-02	8,0 x 18		TG	225/45-18 / 235/40-18 / 235/45-18 / 245/40-18
DR-02	8,0 x 19		TG	225/40-19 / 235/35-19 / 245/35-19
DR-03	8,0 x 19			
Lancer/Lancer Wagon		CS0		5/114,3
DR-02	8,0 x 18		TG	215/35-18
Lancer		CY0		5/114,3
DR-02	8,0 x 17	Limousine, Sportback	TG	225/45-17 / 235/45-17
DR-02	8,0 x 18		TG	215/45-18 / 225/40-18 / 235/40-18
DR-02	8,0 x 18		TG	215/45-18 / 225/40-18 / 225/45-18 / 235/40-18 / 245/40-18
DR-02	8,0 x 19		TG	225/35-19 / 235/35-19
Lancer Station Wagon		CA0, CA0W		4/100
DR-03	7,0 x 17		TG	205/40-17
Lancer		CA0		4/100
DR-03	7,0 x 17		TG	205/40-17 / 215/40-17
Colt		CA0		4/100
DR-03	7,0 x 17		TG	205/40-17 / 215/40-17
Outlander		CU0W		5/114,3
DR-02	8,0 x 17		TG	215/50-17 / 215/55-17 / 225/50-17
DR-02	7,5 x 18		FK**	
DR-02	8,0 x 18		TG	225/45-18
DR-02	8,5 x 18		FK**	
DR-02	8,0 x 19		TG	225/40-19 / 235/35-19
DR-03	8,0 x 19			
Outlander		CW0		5/114,3
DR-02	8,0 x 17		TG	225/60-17 / 235/55-17
DR-02	8,0 x 18		TG	225/55-18 / 235/50-18 / 235/55-18 / 245/50-18 / 255/45-18
DR-02	8,0 x 18		TG	225/55-18 / 235/50-18 / 235/55-18
DR-02	8,0 x 19		TG	225/45-19 / 235/45-19 / 245/45-19
DR-02	8,5 x 20		TG	245/40-20 / 255/35-20
DR-02	9,0 x 20		TG	245/40-20 / 255/35-20 / 265/35-20
DR-04	8,5 x 20		TG	245/40-20 / 255/35-20
Pajero Pinin		H60W		5/114,3
DR-02	8,0 x 18		TG	235/50-18 / 245/45-18 / 255/45-18
Space Runner				5/114,3
DR-02	8,0 x 18		TG**	
Space Wagon				5/114,3
DR-02	8,0 x 18		TG**	

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
NISSAN			
Micra		K12	4/100
DR-03	7,0 x 17		TG 205/40-17 / 205/45-17 / 215/35-17 / 215/40-17
Note		E11	4/100
DR-03	7,0 x 17		TG 205/40-17 / 205/45-17 / 215/40-17 / 215/45-17
200SX		S14	5/114,3
DR-02	8,0 x 18		TG 225/40-18
350Z			5/114,3
DR-02	8,5 x 18	nur VA	FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	9,0 x 20	nur VA	FK
DR-02	10,0 x 20	nur HA	FK**
DR-04	8,5 x 20	nur VA	
DR-04	10,0 x 20	nur HA	
Almera Tino		V10	5/114,3
DR-02	8,0 x 18		TG 225/40-18
DR-02	8,0 x 18		TG 225/40-18
DR-02	8,0 x 19		TG 215/35-19
DR-02	8,0 x 19		TG 225/35-19
DR-03	8,0 x 19		TG 225/35-19
Maxima QX		A33	5/114,3
DR-02	8,0 x 18		TG 225/40-18 / 225/45-18 / 235/40-18
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
Murano		Z51	5/114,3
DR-02	8,0 x 18		TG 235/60-18 / 235/65-18 / 245/60-18 / 255/55-18 / 255/60-18 / 265/55-18
DR-02	8,0 x 19		TG 235/55-19 / 255/50-19 / 255/55-19 / 265/50-19
DR-02	8,5 x 20		TG 245/50-20 / 255/45-20 / 255/50-20 / 265/65-20
DR-02	9,5 x 22		TG* 265/35R22
Murano		Z50	5/114,3
DR-02	8,0 x 18		TG 225/65-18 / 235/60-18 / 255/55-18 / 285/50-18
DR-02	8,0 x 18		TG 225/65-18 / 235/60-18 / 255/55-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,0 x 19		TG 255/50-19
DR-02	8,5 x 20		TG 255/45-20 / 265/45-20 / 275/45-20
DR-02	8,5 x 20		TG 255/45-20 / 255/50-20 / 265/45-20 / 275/45-20
DR-02	9,0 x 20		TG 245/45-20 / 255/45-20 / 265/45-20 / 275/40-20
DR-02	9,0 x 20		TG 255/45-20 / 265/45-20 / 275/40-20
DR-03	8,0 x 19		TG 235/55-19 / 255/50-19 / 265/50-19 / 275/45-19 / 275/50-19
DR-04	8,5 x 20		TG 245/45-20 / 255/45-20 / 265/45-20
DR-04	10,0 x 20		
Primera		P12	5/114,3
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19 / 245/35-19
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
Qashqai +2		J10	5/114,3
DR-02	8,0 x 18		TG 225/50-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19
DR-02	8,5 x 20		TG 245/35-20 / 255/35-20
Qashqai		J10	5/114,3
DR-02	8,0 x 18		TG 235/45-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19
DR-02	8,5 x 20		TG 245/35-20 / 255/35-20 / 255/30-20 (nur ET35)
DR-02	8,5 x 20		TG 245/35-20 / 255/35-20
DR-02	9,0 x 20		TG 245/35-20
DR-02	9,0 x 20		TG 245/35-20
DR-03	8,0 x 19		TG 225/40-19 / 225/45-19 / 235/40-19 / 235/45-19 / 245/40-19
DR-04	8,5 x 20		TG 245/35-20 / 255/30-20 / 255/35-20
X-Trail		T30	5/114,3
DR-02	8,0 x 18		TG 235/45-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 18		TG 235/45-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 19		TG 245/40-19
DR-02	8,5 x 20		TG 245/35-20
DR-02	9,0 x 20		TG 245/35-20
DR-02	9,0 x 20		TG 245/35-20 / 255/35-20
DR-03	8,0 x 19		TG 235/45-19 / 245/40-19
DR-04	8,5 x 20		TG 245/35-20
X-Trail		T31	5/114,3
DR-02	8,0 x 18		TG 225/50-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19
DR-02	8,5 x 20		TG 245/35-20 / 255/35-20
DR-02	9,0 x 20		TG 245/35-20 / 255/35-20
DR-02	9,0 x 20		TG 245/35-20
DR-03	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19 / 255/40-19
DR-04	8,5 x 20		TG 245/35-20 / 255/35-20

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
OPEL			
Agila		H-B	4/100
DR-03	7,0 x 17	Frontantrieb	TG 195/40-17 / 205/40-17 / 215/35-17 / 215/40-17
Antara		L-A	5/115
DR-02	8,0 x 18		TG* 235/55-18 / 255/45-18
DR-02	8,5 x 20		TG 245/40-20 / 255/35-20
DR-04	8,5 x 20		TG 245/40-20
Astra Caravan		F	4/100
DR-03	7,0 x 17	nicht Pirschausführung	TG 205/40-17 / 215/40-17
Astra		F	4/100
DR-03	7,0 x 17	Stufenheck	TG 205/40-17
DR-03	7,0 x 17	Stufenheck	TG 215/40-17
Astra Cabrio		F	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/40-17
Astra		F/CC	4/100
DR-03	7,0 x 17	Schrägheck	TG 205/40-17 / 215/40-17
Astra		A-H	4/100
DR-03	7,0 x 17		TG 215/45-17 / 225/45-17
Astra GTC, Cabrio		A-H/C	4/100
DR-03	7,0 x 17	Cabrio / Coupe	TG 215/45-17 / 225/45-17
Astra Caravan		A-H/SW	4/100
DR-03	7,0 x 17	Kombi	TG 215/45-17 / 225/45-17
Astra		A-H	5/110
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18	inkl. Cabrio / Coupe / Kombi + Coupe OPC	TG 215/40-18 / 225/40-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
Astra 5 fori			5/110
DR-03	8,0 x 19		
Astra		T98 / T98/NB / T98V	4/100
DR-03	7,0 x 17	Limousine, Stufenheck, Schrägheck	TG 215/40-17
DR-03	7,0 x 17	Limousine, Stufenheck, Schrägheck	TG 205/40-17 / 215/40-17
DR-03	7,0 x 17	Kombi	TG 205/40-17 / 215/40-17
DR-03	7,0 x 17		TG 205/40-17 / 205/45-17 / 215/40-17
Astra		T98 / NB / CNG	5/110
DR-02	8,0 x 18	inkl. Coupe / Cabrio	TG 225/35-18 / 225/40-18
DR-02	9,0 x 18	nur HA	FK**
Astra 5 fori			5/110
DR-03	8,0 x 19		
Corsa D		S-D	4/100
DR-03	7,0 x 17	2-türig, 4-türig	TG 205/45-17 / 215/40-17 / 215/45-17 / 225/45-17
Corsa D		S-D	5/110
DR-02	8,0 x 18		TG* 215/35-18 / 215/40-18 / 225/35-18
Corsa-C		Corsa-C	4/100
DR-03	7,0 x 17	2-türig, 4-türig	TG 205/40-17
Corsa-C-Van		Corsa-C-Van	4/100
DR-03	7,0 x 17	2-türig, 4-türig	TG 205/40-17
Corsa			5/110
DR-02	8,0 x 18		TG*
DR-03	8,0 x 19		
GT		K/R	5/110
DR-04	8,5 x 20		TG 245/30-20 / 245/35-20 / 255/30-20
Tigra		X-C/Roadster	4/100
DR-03	7,0 x 17		TG 205/40-17 / 205/45-17 / 215/35-17 / 215/40-17
Tigra		S93-Coupe	4/100
DR-03	7,0 x 17		TG 205/40-17
Meriva		X01/Monocab	5/110
DR-02	8,0 x 18		TG*
DR-03	7,0 x 17		TG 205/45-17 / 215/40-17
DR-03	7,0 x 17		TG 205/40-17
Omega B		V94	5/110
DR-02	8,0 x 18	inkl. Caravan	TG 225/40-18 / 235/40-18
Calibra		Calibra-A	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/40-17 / 215/45-17
Signum			5/110
DR-02	8,0 x 18		TG 225/40-18 / 225/45-18 / 235/40-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,5 x 20		TG*
DR-03	8,0 x 19		
DR-04	8,5 x 20		TG 235/30-20* / 245/30-20*
Vectra-A		Vectra-A	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/40-17 / 215/45-17
DR-03	7,0 x 17		TG 205/40-17
DR-03	7,0 x 17		TG 215/40-17 / 215/45-17
Vectra-A		Vectra-A-A-X	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/40-17 / 215/45-17
Vectra-B		J96 / J96/Kombi	4/100
DR-03	7,0 x 17		TG 215/45-17 / 225/45-17
Vectra B		J96	5/110
DR-02	8,0 x 18		TG 225/40-18
DR-02	9,0 x 18	nur HA	FK**

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
Vectra C			5/110
DR-02	8,0 x 18	inkl. SW (Kombi)	TG 225/40-18 / 225/45-18 / 235/40-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,5 x 20		TG*
DR-04	8,5 x 20		TG 235/30-20* / 245/30-20*
Vectra 5 fori			5/110
DR-03	8,0 x 19		
Zafira A		T98	5/110
DR-02	8,0 x 18		TG 225/40-18
Zafira B		A-H	5/110
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18
DR-03	8,0 x 19		

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
PEUGEOT			
407			5/108
DR-02	8,0 x 18		FK**
DR-03	8,0 x 19		
607			5/108
DR-02	8,0 x 18	nicht V6	FK**
807			5/98
DR-02	8,0 x 18	nicht V6	FK**
4007		V	5/114,3
DR-02	8,0 x 17		TG 225/60-17 / 235/55-17
DR-02	8,0 x 18		TG 225/55-18 / 235/50-18 / 235/55-18 / 245/50-18 / 255/50-18
DR-02	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/45-19
DR-02	8,5 x 20		TG 245/40-20 / 255/35-20
DR-02	9,0 x 20		TG 245/40-20 / 255/35-20 / 265/35-20
DR-04	8,5 x 20		TG 245/40-20 / 255/35-20

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
PORSCHE				
Boxster			5/130	
DR-02	8,5 x 18	nur VA	FK**	
DR-02	9,0 x 18	nur HA	FK**	
DR-03	8,0 x 19	nur VA		
DR-03	9,0 x 19	nur HA		
Boxster			5/130	
DR-03	8,0 x 19	nur VA		
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20	nur VA	TG	235/30-20 / 265/30-20 / 275/30-20
DR-04	10,0 x 20	nur HA	TG	235/30-20 / 265/30-20 / 275/30-20
Cayenne			5/130	
DR-02	9,0 x 20	body outstanding	FK**	
DR-03	9,0 x 19	nicht TURBO, TURBO S,		
DR-04	9,0 x 20			
DR-04	10,0 x 20			
Cayenne, inkl. Turbo			5/130	
DR-02	10,0 x 20		TG	265/45-20 / 285/40-20 / 275/40-20 / 295/40-20
DR-02	9,5 x 22		TG*	265/35-22
DR-02	11,0 x 23		TG	315/25-23
Cayman			5/130	
DR-03	8,0 x 19	nur VA		
DR-03	9,0 x 19	nur HA		
DR-04	8,5 x 20	nur VA	TG	235/30-20 / 265/30-20 / 275/30-20
DR-04	10,0 x 20	nur HA	TG	235/30-20 / 265/30-20 / 275/30-20

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
RENAULT			
Clio		R	4/100
DR-03	7,0 x 17	nicht Kombi	TG 205/40-17
DR-03	7,0 x 17	nicht Kombi	TG 205/40-17 / 205/35-17 / 215/40-17
DR-03	7,0 x 17	nur Kombi	TG 205/40-17 / 205/35-17 / 215/40-17
DR-03	7,0 x 17	nur Kombi	TG 205/40-17
Logan		SR	4/100
DR-03	7,0 x 17	Stufenheck	TG 205/45-17 / 215/40-17 / 215/45-17
DR-03	7,0 x 17	Kombi	TG 205/45-17 / 215/40-17 / 215/45-17
Modus		P	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/35-17 / 215/40-17
Espace			5/108
DR-02	8,0 x 18		FK**
Espace			5/108
DR-02	8,0 x 18		FK**
Espace			5/108
DR-02	8,0 x 18		FK**
DR-02	8,5 x 20		TG**
DR-02	9,0 x 20		FK**
DR-03	8,0 x 19		FK**
DR-04	8,5 x 20		
Laguna		T	5/114,3
DR-02	8,0 x 18		TG 215/45-18 / 225/40-18 / 225/45-18 / 235/40-18 / 245/40-18
DR-02	8,0 x 19		TG 235/35-19 / 245/30-19 / 245/35-19
DR-02	8,5 x 20	Limousine / Kombi	TG 225/35-20 / 235/30-20 / 245/30-20
DR-02	9,0 x 20		TG 245/30-20
DR-02	9,0 x 20		TG 255/30-20
Laguna Coupe		T	5/114,3
DR-02	8,0 x 19		TG 245/30-19
DR-02	8,0 x 19		TG 235/35-19 / 245/35-19
DR-02	8,0 x 19		TG 245/30-19
Laguna		B56	4/100
DR-03	7,0 x 17		TG 215/40-17
DR-03	7,0 x 17		TG 215/40-17-83
Laguna			5/108
DR-02	8,0 x 18		FK**
Laguna			5/108
DR-02	8,0 x 18		FK**
DR-03	8,0 x 19		
Koleos		Y	5/114,3
DR-02	8,0 x 18		TG 225/50-18 / 225/55-18 / 235/50-18 / 255/45-18
DR-02	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/45-19
DR-02	8,5 x 20		TG 235/35-20 / 245/35-20 / 245/40-20 / 255/35-20
DR-02	9,0 x 20		TG 245/40-20
VelSatis			5/108
DR-02	8,0 x 18		FK**
DR-03	8,0 x 19		
Megane		BA / DA	4/100
DR-03	7,0 x 17	Frontantrieb	TG 205/40-17
Megane		EA	4/100
DR-03	7,0 x 17	Frontantrieb	TG 205/40-17
Megane		KA	4/100
DR-03	7,0 x 17	Frontantrieb	TG 205/40-17
Megane		LA	4/100
DR-03	7,0 x 17	Frontantrieb	TG 205/40-17
Megane		BA / KA / LA	4/100
DR-03	7,0 x 17		TG 205/40-17
Megane		DA / EA	4/100
DR-03	7,0 x 17		TG 205/40-17
Megane		M	4/100
DR-03	7,0 x 17	Kombi / Cabrio / Stufenheck / Steilheck	TG 205/50-17 / 215/45-17 / 225/45-17
Megane		Z	5/114,3
DR-02	8,0 x 18		TG 225/40-18 / 235/35-18 / 245/35-18
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19 / 245/30-19
DR-02	8,5 x 20		TG 225/30-20 / 235/30-20
Megane Scenic		JA	4/100
DR-03	7,0 x 17		TG 215/45-17
Megane Scenic		JA	4/100
DR-03	7,0 x 17		TG 215/40-17
Megane Scenic		JA	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/40-17
Megane 5 fori			5/108
DR-03	8,0 x 19	nur 2,0 16v RS, F1	
Scenic III		JZ	5/114,3
DR-02	8,0 x 19		TG 225/40-19 / 235/35-19 / 245/35-19
Twingo		N	4/100
DR-03	7,0 x 17		TG 195/40-17

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
ROVER				
Rover 200Ser./Streetwise		F / RF	4/100	
DR-03	7,0 x 17	nur Rover Streetwise	TG	205/40-17 / 205/45-17 / 215/40-17
DR-03	7,0 x 17	nur Rover 25	TG	205/40-17 / 215/40-17 / 225/35-17
Rover 400Serie, Rover 45		RT	4/100	
DR-03	7,0 x 17	Rover 45	TG	205/40-17 / 215/40-17 / 225/35-17
DR-03	7,0 x 17	Rover 45	TG	205/40-17 / 215/40-17
DR-03	7,0 x 17	Rover 45	TG	205/40-17
Rover 45		T	4/100	
DR-03	7,0 x 17	Rover 45	TG	205/40-17 / 215/40-17 / 225/35-17
DR-03	7,0 x 17	Rover 45	TG	205/40-17 / 215/40-17
DR-03	7,0 x 17	Rover 45	TG	205/40-17
75, MG ZT, MG ZT-T			5/100	
DR-02	7,5 x 18			
DR-02	8,0 x 18			
DR-03	8,0 x 19			

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
SAAB			
900			
DR-02	8,0 x 18		FK
9-3			
DR-02	7,5 x 18	nicht 2,0T Aero	FK**
DR-02	8,0 x 18		TG 225/40-18 / 225/45-18
DR-03	8,0 x 19		
9-3			
DR-02	7,5 x 18	nicht 2,0T Aero	FK**
DR-02	8,0 x 18	inkl. Cabrio	TG 225/40-18 / 225/45-18
DR-02	9,0 x 18	nur HA	FK**
DR-03	8,0 x 19		
9-5			
DR-02	7,5 x 18	nur Facelift	FK**
DR-02	8,0 x 18	inkl. Limousine / Kombi, nicht 2,3 T Aero 184KW	TG 225/40-18 / 235/40-18
DR-03	8,0 x 19		

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
SEAT			
Alhambra		7MS	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 235/40-18
DR-02	9,0 x 18	nur HA	FK**
DR-03	8,0 x 19		
Altea		5P	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,0 x 19		TG 215/35-19
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-02	8,5 x 20		TG*
DR-03	8,0 x 19		TG 225/35-19 / 225/40-19 / 235/35-19
DR-03	8,0 x 19		TG 225/35-19
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	9,0 x 19	nur HA	
DR-05	8,0 x 19		TG 215/35/19
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19
Altea, XL, Freestack			5/112
DR-04	8,5 x 20		
Altea		5P	5/112
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
Ibiza / Cordoba			5/100
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG*
DR-03	8,0 x 19		
Exeo		3R	5/112
DR-02	8,0 x 18		TG 215/40-18
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19 / 245/30-19
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18
DR-04	8,5 x 20		TG 235/30R20
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19 / 245/30-19
Leon		1P	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,0 x 19		TG 215/35-19
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-02	8,5 x 20		TG 225/30-20 (max. 1030kg) / 235/30-20
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	9,0 x 19	nur HA	
DR-04	8,5 x 20		
DR-05	8,0 x 19		TG 215/35-19
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19
Toledo		5P	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,0 x 19		TG 215/35-19
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-02	8,5 x 20		TG*
DR-03	8,0 x 19		TG 225/35-19 / 225/40-19 / 235/35-19
DR-03	8,0 x 19		TG 225/35-19
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	9,0 x 19	nur HA	
DR-04	8,5 x 20		
DR-05	8,0 x 19		TG 215/35/19
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19
Toledo / Leon		1M	5/100
DR-02	7,5 x 18	nicht Cupra R	FK**
DR-02	8,0 x 18	nicht Cupra R	TG 215/40-18 / 225/40-18
DR-02	8,5 x 18	nicht Cupra R	FK**
DR-02	9,0 x 18	nur HA, nicht Cupra R	FK**
DR-03	8,0 x 19	nicht Cupra R 225cv	

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
SKODA			
Fabia		5J	5/100
DR-02	7,5 x 18	nicht 85KW	FK**
DR-02	8,0 x 18		TG 215/35-18
Octavia		1U	5/100
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18	nicht RS	TG 225/40-18
DR-02	9,0 x 18	nur HA	FK**
DR-03	8,0 x 19		
Octavia		1Z	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/40-18
DR-02	8,0 x 18		TG 225/40-18 / 245/35-18
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,0 x 18		TG 225/40-18 / 225/45-18 / 235/40-18 / 245/40-18
DR-02	8,5 x 18		FK**
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-02	8,5 x 20		TG*
DR-03	8,0 x 19		
DR-03	9,0 x 19	nur HA	
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19
Octavia Scout		1Z	5/112
DR-02	8,0 x 19		TG 225/40-19 / 235/35-19 / 245/35-19
DR-05	8,0 x 19		TG 225/40-19 / 235/35-19 / 245/35-19
Octavia		1Z	5/112
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
Roomster		5J	5/100
DR-02	8,0 x 18		TG 215/35-18
Superb		3U	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/40-18
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	8,0 x 19		
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19
Superb		3T	5/112
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18
Yeti		5L	5/112
DR-02	8,0 x 19		TG 235/35-19
DR-02	8,0 x 19		TG 225/40-19
DR-02	8,0 x 19		TG 235/35-19
DR-02	8,0 x 19		TG 225/40-19 / 245/35-19

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
SSANGYONG			
Kyron			5/130
DR-02	9,0 x 20		FK**
DR-03	8,0 x 19		
DR-04	8,5 x 20		
Action			5/130
DR-03	8,0 x 19		
DR-04	8,5 x 20		
Rexton II			5/130
DR-03	8,0 x 19		
DR-04	8,5 x 20		
Rodius			5/130
DR-03	8,0 x 19		
DR-04	8,5 x 20		

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
SUBARU				
Forester			5/100	
DR-02	7,5 x 18		FK**	
DR-02	7,5 x 18		FK**	
DR-02	8,0 x 18		FK**	
Justy G3X			4/100	
DR-03	7,0 x 17	NH	TG	205/40-17 / 215/35-17
Impreza			5/100	
DR-02	7,5 x 18	nicht STI	FK**	
DR-02	8,0 x 18	nicht STI	FK**	
Legacy			5/100	
DR-02	7,5 x 18		FK**	
DR-02	8,0 x 18		FK**	
Legacy			5/100	
DR-02	7,5 x 18		FK**	
DR-02	8,0 x 18		FK**	
OutBack			5/100	
DR-02	7,5 x 18		FK**	
DR-02	8,0 x 18		FK**	
B9 Tribeca			5/114,3	
DR-03	8,0 x 19			
DR-04	8,5 x 20			

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
SUZUKI			
Ignis		FH	4/100
DR-03	7,0 x 17	Allradantrieb, Frontantrieb	TG 205/40-17
Ignis		MH	4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/35-17
Swift Neo		FH	4/100
DR-03	7,0 x 17	Allradantrieb, Frontantrieb	TG 205/40-17
Swift		EZ	4/100
DR-03	7,0 x 17	nur bis e4*2001/116*0102*01, Frontantrieb	TG 195/40-17 / 205/40-17 / 215/35-17 / 215/40-17
DR-03	7,0 x 17	Allradantrieb	TG 215/35-17 / 215/40-17
Swift		MZ	4/100
DR-03	7,0 x 17	ab e4*2001/116*0090*04, Frontantrieb	TG 195/40-17 / 205/40-17 / 215/35-17 / 215/40-17
DR-03	7,0 x 17	nur bis e4*2001/116*0090*03, Frontantrieb	TG 195/40-17 / 205/40-17 / 215/35-17 / 215/40-17
Splash		EX	4/100
DR-03	7,0 x 17	Frontantrieb	TG 195/40-17 / 205/40-17 / 215/35-17 / 215/40-17
Liana		ER	4/100
DR-03	7,0 x 17	Stufenheck, Schrägheck	TG 205/40-17 / 215/40-17
Grand Vitara		JT	5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18	Zuordnung lt. TG	TG 225/60-18 / 235/50-18 / 235/55-18 / 245/50-18 / 255/45-18 / 255/50-18
DR-02	8,0 x 18		TG 225/60-18 / 235/50-18 / 235/55-18 / 245/50-18 / 255/45-18 / 255/50-18
DR-02	8,5 x 18		FK**
DR-02	8,5 x 20		TG 245/40-20
DR-02	8,5 x 20	3-Türer	TG 245/40-20
DR-02	8,5 x 20	5-Türer	TG 245/40-20
DR-03	8,0 x 19		
DR-04	8,5 x 20		TG 245/40-20
SX4		EY	5/114,3
DR-02	8,0 x 18		TG 215/40-18 / 215/45-18 / 225/40-18 / 225/45-18 / 235/40-18
DR-02	8,0 x 18		TG 215/40-18 / 215/45-18 / 225/40-18 / 225/45-18 / 235/40-18 / 245/40-18
DR-02	8,5 x 20		TG 225/30-20
DR-02	8,5 x 20		TG 225/30-20 / 235/30-20 / 245/30-20
DR-02	8,5 x 20	ohne Radhaus-Verbreiterung	TG 245/30-20
DR-02	8,5 x 20	mit Radhaus-Verbreiterung	TG 245/30-20
DR-03	8,0 x 19		
SX4		GY	5/114,3
DR-02	8,5 x 20		TG 245/30-20
SX4		EY (GY)	5/114,3
DR-04	8,5 x 20		TG 225/3-20 / 235/30-20 / 245/30-20

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
TOYOTA			
Avensis			5/100
DR-02	7,5 x 18		FK**
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		FK
DR-02	8,5 x 18		FK**
Avensis			5/100
DR-02	8,0 x 18		FK**
DR-03	8,0 x 19		
Avensis			5/114,3
DR-04	8,5 x 20		TG 225/30-20 / 225/35-20 / 235/30-20 / 235/35-20 / 245/30-20 / 255/30-20
Avensis			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/40-18 / 245/35-18
DR-02	8,0 x 18		TG 215/40-18 / 225/35-18 / 225/40-18 / 245/35-18
DR-03	8,0 x 19		
Auris			5/114,3
DR-03	8,0 x 19		
Avensis Verso			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18
DR-02	8,0 x 18		TG 225/40-18
DR-03	8,0 x 19		
Camry			5/114,3
DR-02	8,0 x 18		TG 225/45-18 / 235/40-18 / 235/45-18 / 245/40-18
DR-02	8,0 x 18		TG 225/45-18 / 235/40-18 / 235/45-18
DR-03	8,0 x 19		
Carina E			5/100
DR-02	8,0 x 18		TG**
Celica			4/100
DR-03	7,0 x 17	schmale Ausführung bis Nachtrag 2	TG 215/40-17
Celica			5/100
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG**
Celica			5/100
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/35-18
DR-02	8,5 x 18		FK**
DR-03	8,0 x 19		
Corolla			4/100
DR-03	7,0 x 17	Frontantrieb	TG 205/40-17
Corolla			4/100
DR-03	7,0 x 17	Kombi / Stufenheck	TG 205/45-17
Corolla			4/100
DR-03	7,0 x 17	Schrägheck	TG 205/45-17 / 215/40-17
Corolla			4/100
DR-03	7,0 x 17		TG 215/40-17
Corolla Verso			4/100
DR-03	7,0 x 17		TG 205/45-17 / 215/40-17
Corolla Verso			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/40-18 / 215/45-18 / 225/40-18 / 235/40-18
DR-02	8,0 x 18		TG 215/40-18 / 215/45-18 / 225/40-18 / 235/40-18
DR-03	8,0 x 19		
IQ			4/100
DR-03	7,0 x 17		TG 205/40-17 / 205/45-17 / 215/40-17
MR2			4/100
DR-03	7,0 x 17		TG 205/40-17 / 215/40-17
MR2			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG**
Previa			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 245/40-18
DR-02	8,0 x 18		TG 245/40-18
RAV4			5/114,3
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,5 x 20		TG 225/30-20 / 235/30-20 / 245/30-20
DR-02	8,5 x 20	mit Radhaus-Verbreiterung	TG 245/35-20
DR-02	8,5 x 20	ohne Radhaus-Verbreiterung	TG 245/35-20
DR-04	8,5 x 20		TG 245/35-20
RAV4			5/114,3
DR-02	8,0 x 18		TG 235/50-18 / 235/55-18 / 255/45-18
DR-02	8,0 x 18		TG 235/50-18 / 235/55-18 / 245/50-18 / 255/45-18 / 255/50-18
DR-02	8,5 x 20		TG 245/40-20 / 255/35-20
DR-02	8,5 x 20		TG 245/40-20 / 255/35-20
DR-02	8,5 x 20	mit Radhaus-Verbreiterung	TG 245/40-20 / 255/35-20 / 265/35-20 / 275/35-20 / 275/40-20
DR-02	8,5 x 20	ohne Radhaus-Verbreiterung	TG 245/40-20 / 255/35-20 / 265/35-20 / 275/35-20 / 275/40-20
DR-03	8,0 x 19		
DR-04	8,5 x 20		TG 245/40-20 / 255/35-20

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
Paseo		L5		4/100
DR-03	7,0 x 17	Cabrio / Coupe	TG	225/35-17
Prius				5/100
DR-03	8,0 x 19			
Yaris		XP9(a) / XP9F(a)		4/100
DR-03	7,0 x 17	Cabrio / Coupe	TG	195/40-17 / 205/40-17 / 215/35-17 / 215/40-17
Yaris		XP9(a)		4/100
DR-03	7,0 x 17	Cabrio / Coupe	TG	195/40-17 / 205/40-17 / 205/45-17 / 215/35-17 / 215/40-17

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
VOLKSWAGEN			
Caddy		2K/2KN	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/40-18
Corrado			5/100
DR-02	8,0 x 18		TG**
Eos		1F	5/112
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18
DR-02	8,0 x 19		TG 225/35-19
DR-02	8,0 x 19		TG 235/35-19
DR-02	8,5 x 20		TG*
DR-03	8,0 x 19		TG 225/35-19
DR-03	8,0 x 19		TG 225/35-19
DR-03	8,0 x 19		
DR-03	9,0 x 19	nur HA	
DR-04	8,5 x 20		
DR-04	8,5 x 20		TG 235/30R20
DR-04	9,0 x 20		TG 235/30-20
DR-05	8,0 x 19		TG 225/35-19
DR-05	8,0 x 19		TG 235/35-19
Fox		5Z	5/100
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/35-18
Golf 3 GTI, VR6			5/100
DR-02	8,0 x 18	nicht VR6 140KW	TG**
Golf 4 / Bora		1J	5/100
DR-02	7,5 x 18	nicht 1,9 TDi, 1,4	FK**
DR-02	8,0 x 18	nicht R32	TG 225/40-18
DR-02	8,5 x 18	inkl. R32	FK**
DR-02	9,0 x 18	nur HA	FK**
DR-03	8,0 x 19	inkl. R32	
Golf 5		1K	5/112
DR-02	7,5 x 18	nicht R32	FK**
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,0 x 18		TG 215/40-18
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,5 x 18	inkl. R32	FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,0 x 19		TG 215/35-19
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-02	8,5 x 20	nicht R32	TG 225/30-20 (max. 1030kg) / 235/30-20
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	8,0 x 19		TG 235/35-19
DR-03	8,0 x 19		TG 225/35-19
DR-03	9,0 x 19	nur HA	
DR-05	8,0 x 19		TG 215/35-19
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19
Golf 5 Variant		1KM	5/112
DR-02	8,0 x 19		TG 215/35-19
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-05	8,0 x 19		TG 215/35-19
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19
Golf 5 Plus		1KP	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-02	8,0 x 19		TG 215/35-19
DR-02	8,5 x 20		TG*
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	9,0 x 19	nur HA	
DR-05	8,0 x 19		TG 215/35-19
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19
Golf 5 R32		1K	5/112
DR-02	8,0 x 18		TG 225/40-18
Golf 6		1K	5/112
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18
DR-02	8,0 x 18		TG 215/40-18
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,0 x 19		TG 215/35-19 / 225/35-19 / 235/35-19 / 245/30-19
DR-05	8,0 x 19		TG 215/35-19 / 225/35-19 / 235/35-19 / 245/30-19
Golf 6 Variant		1KM	5/112
DR-02	8,0 x 19		TG 215/35-19 / 225/35-19 / 235/35-19
Golf 6 Plus		1KP	5/112
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
Jetta		1KM	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-02	8,0 x 19		TG 215/35-19
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-02	8,5 x 20		TG*
DR-03	8,0 x 19		TG 225/35-19 / 235/35-19
DR-03	9,0 x 19	nur HA	
DR-05	8,0 x 19		TG 215/35-19
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19
New Beetle		9C	5/100
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/40-18
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	
DR-03	8,0 x 19		
Passat			5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG**
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-03	8,0 x 19		
Passat		3B	5/112
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
Passat		3BG	5/112
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
Passat		3BS	5/112
DR-02	8,0 x 19		TG 235/35-19
Passat		3B/3BG/3BS	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18 (nur 3BS)
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-03	8,0 x 19		
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19
Passat		3C	5/112
DR-02	7,5 x 18	nicht 3,2 TSI V6 4motion	
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18 / 245/35-18
DR-02	8,5 x 18		
DR-02	9,0 x 18	nur HA	
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-02	8,0 x 19		TG 235/35-19
DR-02	8,5 x 20	nicht 3,2 FSI V6 4motion	TG*
DR-03	8,0 x 19		TG 225/35-19
DR-03	8,0 x 19		TG 225/35-19
DR-03	9,0 x 19	nur HA	
DR-04	8,5 x 20		
DR-04	8,5 x 20		TG 235/30-20
DR-04	9,0 x 20		TG 235/30-20
DR-05	8,0 x 19		TG 225/35-20 / 235/35-19
DR-05	8,0 x 19		TG 235/35-19
Passat Variant		3C	5/112
DR-02	8,0 x 19		TG 235/35-19
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19
DR-04	8,5 x 20		TG 235/30-20
DR-04	9,0 x 20		TG 235/30-20
DR-05	8,0 x 19		TG 225/35-20 / 235/35-19
DR-05	8,0 x 19		TG 235/35-19
Passat CC		3CC	5/112
DR-02	8,0 x 18		TG 235/40-18
DR-02	8,0 x 18		TG 235/40-18 / 245/40-18
DR-02	9,0 x 20		
DR-03	8,0 x 19		
DR-04	8,5 x 20		TG 235/30-20 (bis 118KW) / 245/30-20
DR-04	9,0 x 20		TG 235/30-20 / 245/30-20
DR-04	9,0 x 20		TG 235/30-20 / 245/30-20
Passat W8			5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG**
DR-02	8,5 x 18		FK**
DR-02	9,0 x 18	nur HA	FK**
DR-03	8,0 x 19		
DR-05	8,0 x 19		TG 235/35-19

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV mögliche Reifengrößen
Phaeton		3D	5/112
DR-02	8,0 x 18	nicht 3,0TDi, 3,2 V6	TG 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,5 x 18	nicht 3,0TDi, 3,2 V6	FK**
DR-02	8,0 x 19		TG 245/40-19
DR-02	8,0 x 19		TG 245/45-19 / 255/40-19
DR-02	9,0 x 20	nicht V10 Diesel	TG 255/35-20
DR-02	10,0 x 20	nur HA	TG*
DR-03	8,0 x 19	inkl. 6,0 w12, 5,0 V10	
DR-03	9,0 x 19		
DR-04	8,5 x 20		TG 245/40R20 / 245/35R20 (177KW) / 255/35R20 (177, 246KW)
DR-04	9,0 x 20	Ottomotor, V6-Diesel	TG 245/40-20 / 275/35-20
DR-04	9,0 x 20	Ottomotor, V6-Diesel	TG 245/35-20
DR-04	9,0 x 20	Ottomotor, V6-Diesel	TG 255/35-20
DR-05	8,0 x 19		TG 245/40-19
DR-05	8,0 x 19		TG 245/45-19 / 255/40-19
Phaeton V10		3D	5/112
DR-04	9,0 x 20	V10-Diesel	TG 275/35-20
Polo		9N	5/100
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/35-18
DR-02	8,5 x 18		FK**
Scirocco		13	5/112
DR-02	8,0 x 18		TG 225/40-18 / 235/40-18 / 245/35-18 / 245/40-18
DR-02	8,0 x 19		TG 225/35-19 / 235/35-19 / 245/30-19
DR-03	8,5 x 20		TG 225/30-20 / 235/30R20 / 245/30R20
DR-05	8,0 x 19		TG 225/35-19 / 235/35-19 / 245/30-19
Sharan		7M	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 235/40-18
DR-02	9,0 x 18	nur HA	FK**
DR-03	8,0 x 19		
T4		7DB/7DW/7DWA/7DZ/7DZA/70X.....	5/112
DR-02	8,0 x 18	Achslasten beachten	TG 245/40-18 / 245/45-18
DR-02	8,0 x 18	Achslasten beachten	TG**
DR-03	8,0 x 19		
T5		7HMA/7HM/7HC/7HCA/7HK/7HKX0	5/120
DR-02	8,5 x 18		TG 235/50-18 / 245/45-18 / 255/45-18
DR-02	9,0 x 20	max 945kg / Achslast max. 1.760kg	TG 245/40-20 / 275/35-20
DR-04	9,0 x 20		TG 275/35-20
Tiguan		5N	5/112
DR-02	8,0 x 18		TG 235/45-18 / 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 18	Achslasten beachten	TG 235/50-18 / 245/45-18 / 255/45-18
DR-02	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19
DR-02	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19
DR-02	9,0 x 20	Achslasten beachten	TG 245/35-20 / 255/35-20
DR-04	8,5 x 20		TG 245/35-20 / 255/35-20
DR-04	9,0 x 20		TG 245/35-20 / 255/35-20
DR-05	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19
DR-05	8,0 x 19		TG 225/45-19 / 235/45-19 / 245/40-19
Cross Touran		1T	5/112
DR-02	8,0 x 19		TG 235/35-19
DR-05	8,0 x 19		TG 235/35-19
Touran		1T	5/112
DR-02	7,5 x 18		FK**
DR-02	8,0 x 18		TG 215/40-18 / 225/40-18
DR-03	8,0 x 19		
Touareg		7L	5/130
DR-02	9,0 x 20	body outstanding	TG*
DR-02	10,0 x 20	body outstanding	TG 265/45-20 / 275/40-20 / 285/40-20 / 295/40-20
DR-02	9,5 x 22		TG 265/35-22 / 285/30-22
DR-02	11,0 x 23		TG 315/25-23
DR-03	9,0 x 19	inkl. 6,0 W12, 5,0 V10	
DR-04	9,0 x 20		
DR-04	10,0 x 20		
Touareg R5		7L	5/120
DR-02	8,5 x 18		TG 235/60-18 / 255/55-18 / 265/55-18 / 285/50-18
DR-02	9,0 x 18		FK**
DR-02	9,0 x 20	body outstanding	TG 265/45-20 / 275/40-20
DR-02	10,0 x 20	body outstanding	TG 265/45-20 / 275/40-20 / 285/40-20 / 295/40-20
DR-03	9,0 x 19		
DR-04	9,0 x 20		TG 265/45-20 / 275/40-20
DR-04	10,0 x 20		

Drewske Leichtmetallräder 2010

Design	Größe	Hinweis	TÜV	mögliche Reifengrößen
VOLVO				
C30		M		5/108
DR-02	7,5 x 18		TG	215/40-18 - 215/45-18 - 225/40-18
DR-02	8,5 x 20		TG	225/30-20
DR-03	8,0 x 19	remove washer from stud bolt		
C70		M		5/108
DR-02	7,5 x 18		TG	215/40-18 - 215/45-18 - 225/40-18
DR-02	8,0 x 18		FK**	
DR-02	8,5 x 20		TG	225/30-20
DR-03	8,0 x 19	remove washer from stud bolt		
DR-04	8,5 x 20		TG	235/30-20
C70				5/108
DR-02	8,0 x 18		FK**	
DR-03	8,0 x 19			
S40 / V50		M		5/108
DR-02	7,5 x 18		TG	215/40-18 - 215/45-18 - 225/40-18
DR-02	8,0 x 18		FK**	
DR-02	8,5 x 20		TG	225/30-20
DR-03	8,0 x 19	remove washer from stud bolt		
S60		H / R		5/108
DR-02	7,5 x 18	nicht 2,5T	TG	225/40-18
DR-02	8,0 x 18	nicht 2,5T	FK**	
DR-03	8,0 x 19	nicht 2,5T		
S80		A / K / T		5/108
DR-02	7,5 x 18		TG	225/45-18
DR-02	8,0 x 18		FK**	
DR-02	8,5 x 20		TG	245/30-20 / 255/30-20
DR-03	8,0 x 19			
S80		A		5/108
DR-03	8,0 x 19	remove washer from stud bolt		
DR-04	8,5 x 20		TG	255/30-20
V70 / XC70		J / JV / S		5/108
DR-02	7,5 x 18	nicht 2,5T	TG	225/40-18
DR-02	8,0 x 18	nicht 2,5T	FK**	
DR-02	8,5 x 20	nicht 2,5T 4x4	TG*	
DR-03	8,0 x 19	nicht 2,5T		
V70 / XC70				5/108
DR-04	8,5 x 20			
DR-04	9,0 x 20			
V70		B		5/108
DR-02	7,5 x 18		TG	245/30-20
DR-04	8,5 x 20		TG	255/30-20
XC60		D		5/108
DR-02	8,5 x 20		TG	255/45-20 / 265/45-20
XC70		S		5/108
DR-02	7,5 x 18	nicht 2,5T	TG	235/45-18
XC70		B		5/108
DR-04	8,5 x 20		TG	245/35-20 / 255/35-20
XC90		C		5/108
DR-02	7,5 x 18		TG	235/60-18 - 245/50-18 - 255/50-18 - 255/55-18 - 265/55-18
DR-02	8,0 x 18		FK**	
DR-02	8,5 x 18	inkl. V8	FK**	
DR-02	8,5 x 20		TG	265/45-20
DR-02	9,0 x 20	body outstanding	TG*	
DR-03	8,0 x 19			
DR-04	8,5 x 20		TG	265/45-20 / (275/40-20)
DR-04	9,0 x 20			